OHYES! Report for ADAMHS Board of Adams, Lawrence & Scioto Counties - 2017-2018

Suggested Citation:

Ohio Healthy Youth Environments Survey (OHYES!). (2020). *OHYES! Report for ADAMHS Board of Adams, Lawrence & Scioto Counties - 2017-2018*. Ohio Department of Mental Health and Addiction Services. https://ohyes.ohio.gov/Results

Contents

Background **1**

About the OHYES! **1**

About this Report **2**

A. Demographics **4**

B. Family, School, and Community Environment **8**
1. Community Environments . . . 8
2. Family and Peer Factors . . . 9
3. Safety and Violence . . . 12
4. School Climate and Safety . . . 14
5. School Connectedness and Success . . . 18
6. Prevention Message . . . 20
7. Vehicle Safety . . . 21

C. Health and Well-being **24**
1. Body Mass Index and Physical Activity . . . 24
2. Nutrition . . . 27
3. Wellness Visit . . . 28
4. Concussion . . . 29
5. Tanning . . . 30
6. Sleep . . . 30

D. Mental Health **31**
1. Patient Health Questionnaire for Psychological Distress . . . 31
2. Suicide . . . 32
3. Coping Strategies . . . 34

E. Substance Use **36**
1. Alcohol . . . 36
2. Tobacco and Vapor Products . . . 42
3. Prescription Drugs . . . 48
4. Over-the-Counter Medications . . . 53
5. Marijuana . . . 54
6. Illicit Drugs . . . 59

F. Gambling **60**

G. Sexual Health **63**
1. Sexual Behavior . . . 63

Background

Nationally, trends in youth behaviors and risk and protective factors are measured using school-based surveys such as the Monitoring the Future Survey (MTF) and the Centers for Disease Control and Prevention's Youth Risk Behavior Survey (YRBS) and Youth Tobacco Survey (YTS). These surveys provide valuable national and state-level data; however, they do not provide county or school district-level data. Communities have needed access to local data to address community-specific needs and to conduct health assessments. Over the years, they have deployed a wide variety of local surveys in an attempt to address these needs, often investing substantial resources to have private survey companies collect the local data. Having many different survey instruments, means the results are then not always comparable across surveys nor over time, and counties and districts cannot usually benchmark results to state or regional samples. Consequently, communities across Ohio have repeatedly called for an inexpensive and valid survey of youth to guide local policy, program development and implementation efforts.

About the OHYES!

Purpose

The Ohio Healthy Youth Environments Survey (OHYES!) is a collaborative effort of the Ohio Departments of Education, Health and Mental Health and Addiction Services, Ohio National Guard and representatives from higher education, juvenile courts, foundations, and community service providers.

There are two main purposes with OHYES! First, the OHYES! addresses the need for data on local trends in youth behaviors and risk and protective factors. Second, it helps community-based organizations meet federal grant reporting requirements, including ones from: Strategic Prevention Framework Partnerships for Success, Drug Free Communities, Safe Schools and Healthy Students, Communities that Care Grants, and the Substance Abuse and Mental Health Services Administration (SAMHSA) Prevention and Treatment Block Grant National Outcome Measures (NOMs). Additionally, the OHYES! data may help communities when applying for local grants through foundations such as the United Way. It may also help communities meet the requirements for local health department needs assessments.

Instrument

The OHYES! survey questions cover the following topics: Demographics, Alcohol & Tobacco/Vapor Products, Marijuana & Other Drugs, Bullying, Safety & School Climate, Physical Health & Well-being, Mental Health & Gambling, Parental Attitudes of Substance Use, Community, Family & Peer Factors, and School Success. Schools may administer the standard OHYES! survey instrument, which includes 101 questions. In addition, school districts may choose to use an optional version that includes ten questions that could be sensitive to some communities (sexual behavior and suicide). This report includes all 111-items that appear on the optional version of the survey. Please see table notes for items that only appear on the optional version of the survey and are not asked when schools administer the standard version of the instrument. Currently, the survey instrument is only available in English. More information about the survey and copies of the survey instrument can be found on the OHYES! website at ohyes.ohio.gov.

Survey Administration

The OHYES! is a voluntary, web-based survey that is available to schools free of charge. The survey is scheduled to be conducted every four years, but may be administered more frequently, if a community identifies a need. All students in Ohio schools in grades 7 through 12 (age 12 or older) are eligible to participate. Superintendents and principals are solicited to have their schools complete the survey; they select the grades and percentage of students in those grades to participate.

Confidentiality

Survey administrators are provided protocols to ensure the privacy and confidentiality of the survey participants. Since the OHYES! is a web-based application, no information is collected or stored on school servers, and individual identification numbers are not collected. The data from the web application is collected and stored on secured, encrypted, and password protected servers at the Ohio Department of Mental Health and Addiction Services (OhioMHAS).

Consent

Prior to the survey administration, parents are notified and provided information about the survey. Then, they have three weeks to submit an Opt-Out Form to exclude their child from participating. At the beginning of the survey, participating students are asked for their agreement to answer the survey questions. Students have the option to skip a question and quit the survey at any time.

About this Report

Participants

ADAMHS Board of Adams, Lawrence & Scioto Counties counties in Ohio that participated in the OHYES! survey during the 2017-2018 school year include: Adams County, Lawrence County. This report also includes results for all Ohio students who participated in the OHYES! survey during the 2017-2018 school year. For more information on OHYES! participation by school year, please visit the results section of the OHYES! website at ohyes.ohio.gov/Results.

Limitations

As a reminder, the OHYES! was designed to provide actionable local data for district superintendents and school principals based on a voluntary sample of surveyed youth. They OHYES! data were collected based on a descriptive, cross-sectional survey design, with a non-probability sampling method. The voluntary nature of the survey means that the OHYES! results are not generalizable to all Ohio youth. Further, county-level OHYES! results may not represent all students in a given county or school district. Any interpretations from the OHYES! data must keep these limitations in mind. This report may not provide numbers that are an exact match the reports available on the Ohio Department of Health (ODH) Public Health Data Warehouse. This is due to ODH data suppression rules and differing data subset criteria.

Report Preparation

Voinovich School of Leadership and Public Affairs
Ohio University
Building 21, The Ridges
Athens, OH 45701

Pacific Institute for Research and Evaluation
401 W. Main Street, Suite 2100
Louisville, KY 40202

OHYES! Information

Website: ohyes.ohio.gov
Email: info@ohyes.ohio.gov
Phone: (866) 563-6904

A. Demographics

OHYES! participants

Table 1: Participants

	OHYES!		Board	
Response	n	%	n	%
Participants	17915	100.00	1761	100.00
Total	17915	100.00	1761	100.00

How old are you?

Table 2: Age

	OHYES!		Board	
Response	n	%	n	%
12 years old	1969	11.07	183	10.48
13 years old	3124	17.56	294	16.84
14 years old	3002	16.88	331	18.96
15 years old	2971	16.70	344	19.70
16 years old	3174	17.85	310	17.75
17 years old	2808	15.79	227	13.00
18 years old or older	738	4.15	57	3.26
Total	17786	100.00	1746	100.00

Note that there were missing values of age for 129 cases among OHYES! participants and 15 cases among board participants.

What is your sex?

Table 3: Gender

	OHYES!		Board	
Response	n	%	n	%
Male	8889	49.74	883	50.23
Female	8610	48.18	843	47.95
Transgender	135	0.76	9	0.51
Gender Nonconforming	238	1.33	23	1.31
Total	17872	100.00	1758	100.00

Note that there were missing values of gender for 43 cases among OHYES! participants and 3 cases among board participants.

In what grade are you?

Table 4: Grade

	OHYES!		Board	
Response	n	%	n	%
7th grade	3688	20.69	253	14.40
8th grade	2511	14.09	336	19.12
9th grade	3285	18.43	341	19.41
10th grade	2663	14.94	342	19.46
11th grade	3721	20.88	283	16.11
12th grade	1941	10.89	200	11.38
Ungraded or other grade	14	0.08	2	0.11
Total	17823	100.00	1757	100.00

Note that there were missing values of grade for 92 cases among OHYES! participants and 4 cases among board participants.

Are you Hispanic or Latino?

Table 5: Hispanic Origin

	OHYES!		Board	
Response	n	%	n	%
No	16463	93.68	1670	95.92
Yes	1111	6.32	71	4.08
Total	17574	100.00	1741	100.00

Note that there were missing values of Hispanic origin for 341 cases among OHYES! participants and 20 cases among board participants.

How do you describe yourself?

Table 6: Race and Hispanic Origin

	OHYES!		Board	
Response	n	%	n	%
Black or African American (non-Hispanic)	744	4.21	33	1.88
White (non-Hispanic)	12415	70.30	1393	79.42
Hispanic/Latino	1111	6.29	71	4.05
All other races (non-Hispanic)	1829	10.36	76	4.33
Multiple races (non-Hispanic)	1562	8.84	181	10.32
Total	17661	100.00	1754	100.00

Note that there were missing values of race and Hispanic origin for 254 cases among OHYES! participants and 7 cases among board participants.

Among those who identified as Hispanic or Latino: How do you describe yourself?

Table 7: Hispanic Origin and Race

	OHYES!		Board	
Response	n	%	n	%
Hispanic - Black or African-American	99	8.91	6	8.45
Hispanic - No Race Specified	212	19.08	3	4.23
Hispanic - Other	262	23.58	22	30.99
Hispanic - White	538	48.42	40	56.34
Total	1111	100.00	71	100.00

Note that there were missing values of Hispanic origin and race for 0 cases among OHYES! participants and 0 cases among board participants.

Which of the following best describes you?

Table 8: Sexual Orientation

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

Is your father, mother or caretaker currently in the military (Army, Navy, Marines, Air Force, National Guard, or Reserves)?

Table 9: Parent in Military

	OHYES!		Board	
Response	n	%	n	%
No	17054	95.64	1663	94.76
Yes	445	2.50	51	2.91
Don't know	332	1.86	41	2.34
Total	17831	100.00	1755	100.00

Note that there were missing values of parent in military for 84 cases among OHYES! participants and 6 cases among board participants.

How many times have you ever moved to a new address?

Table 10: Number of times moved to new address

	OHYES!		Board	
Response	n	%	n	%
0 times	3960	22.26	424	24.17
1 time	4603	25.88	406	23.15
2 times	2433	13.68	206	11.74
3 times	2333	13.11	226	12.88
4 or more times	4460	25.07	492	28.05
Total	17789	100.00	1754	100.00

Note that there were missing values of number of times moved to new address for 126 cases among OHYES! participants and 7 cases among board participants.

B. Family, School, and Community Environment

1. Community Environments

There are a lot of adults in my neighborhood (town, community) I could talk to about something important.

Table 11: There are a lot of adults in the neighborhood (town, community) to talk to about something important

	OHYES!		Board	
Response	n	%	n	%
No	7296	46.24	817	51.35
Yes	8482	53.76	774	48.65
Total	15778	100.00	1591	100.00

Note that there were missing values of adults in the neighborhood (town, community) to talk to about something important for 2137 cases among OHYES! participants and 170 cases among board participants.

On how many of the past 7 days did you take part in organized after school, evening or weekend activities (other than sports teams) such as school clubs, community center groups, music/art/dancing lessons, drama, church or other supervised activities?

Table 12: Number of days participated in organized after school, evening or weekend activities in the last 7 days

	OHYES!		Board	
Response	n	%	n	%
0 days	6466	40.45	695	43.28
1 day	2157	13.49	175	10.90
2 days	1805	11.29	160	9.96
3 days	1281	8.01	111	6.91
4 days	1220	7.63	108	6.72
5 days	1099	6.87	131	8.16
6 days	604	3.78	56	3.49
7 days	1355	8.48	170	10.59
Total	15987	100.00	1606	100.00

Note that there were missing values of number of days participated in organized after school, evening or weekend activities in the last 7 days for 1928 cases among OHYES! participants and 155 cases among board participants.

2. Family and Peer Factors

My parents talk to me about what I do in school.

Table 13: Level of agreement that parents talk to them about what they do in school

	OHYES!		Board	
Response	n	%	n	%
Strongly disagree	773	4.76	123	7.54
Disagree	1123	6.92	132	8.09
Neutral	3327	20.49	367	22.50
Agree	6746	41.55	642	39.36
Strongly agree	4265	26.27	367	22.50
Total	16234	100.00	1631	100.00

Note that there were missing values of level of agreement that parents talk to them about what they do in school for 1681 cases among OHYES! participants and 130 cases among board participants.

My parents push me to work hard at school.

Table 14: Level of agreement that parents push them to work harder at school

	OHYES!		Board	
Response	n	%	n	%
Strongly disagree	398	2.45	65	3.99
Disagree	464	2.86	63	3.87
Neutral	2216	13.67	256	15.72
Agree	5580	34.42	523	32.11
Strongly agree	7555	46.60	722	44.32
Total	16213	100.00	1629	100.00

Note that there were missing values of level of agreement that parents push them to work harder at school for 1702 cases among OHYES! participants and 132 cases among board participants.

During the past 12 months, how often did your parents check on whether you had done your homework?

Table 15: Frequency that parents check homework

	OHYES!		Board	
Response	n	%	n	%
Never or almost never	3543	21.82	318	19.50
Sometimes	3754	23.12	338	20.72
Often	3477	21.42	316	19.37
All the time	5460	33.63	659	40.40
Total	16234	100.00	1631	100.00

Note that there were missing values of frequency that parents check homework for 1681 cases among OHYES! participants and 130 cases among board participants.

During the past 12 months, how often did your parents limit the amount of time you watched TV or time with your friends on school nights?

Table 16: Frequency parents limit the amount of time watching TV or with friends on school nights

	OHYES!		Board	
Response	n	%	n	%
Never or almost never	7439	46.68	852	53.25
Sometimes	4666	29.28	437	27.31
Often	2179	13.67	168	10.50
All the time	1652	10.37	143	8.94
Total	15936	100.00	1600	100.00

Note that there were missing values of frequency parents limit the amount of time watching TV or with friends on school nights for 1979 cases among OHYES! participants and 161 cases among board participants.

What best describes your parent's rules about social media in your bedroom (T.V., internet, cell phone, computer, video games, iPod, etc.)?

Table 17: Parents rules about media in bedroom

	OHYES!		Board	
Response	n	%	n	%
My parents don't have any rules	9420	59.49	1008	63.24
My parents have rules of when I have to turn off media in my bedroom	4998	31.56	483	30.30
My parents don't let me have any media in my bedroom	1417	8.95	103	6.46
Total	15835	100.00	1594	100.00

Note that there were missing values of frequency parents rules about media in bedroom for 2080 cases among OHYES! participants and 167 cases among board participants.

3. Safety and Violence

I feel safe in my neighborhood (town, community).

Table 18: Feel safe in neighborhood

	OHYES!		Board	
Response	n	%	n	%
No	1506	8.46	254	14.46
Yes	16304	91.54	1502	85.54
Total	17810	100.00	1756	100.00

Note that there were missing values of feel safe in neighborhood for 105 cases among OHYES! participants and 5 cases among board participants.

Adverse Childhood Experiences (ACEs) are categorized into two groups on the OHYES! ACE module: abuse and family/household challenges. Each category is further divided into multiple subcategories. ACEs are associated with violence victimization and perpetration, and health and opportunity across the lifespan. As the number of ACEs increase, so does the risk for negative outcomes.

Adverse Childhood Experiences (ACEs) by category.

Table 19: Adverse Childhood Experiences (ACEs) by category

	OHYES!			Board		
	Yes	Respondents	%	Yes	Respondents	%
Abuse						
Physical Abuse	1248	17215	7.25	132	1720	7.67
Emotional Abuse	4527	17215	26.30	466	1720	27.09
Household Challenges						
Witnessed Domestic Violence	1239	17215	7.20	188	1720	10.93
Household Mental Illness	3881	17325	22.40	406	1718	23.63
Household Substance Abuse	3610	17325	20.84	450	1718	26.19
Parental Separation or Divorce	6272	17215	36.43	836	1720	48.60
Incarcerated Household Members	2182	17325	12.59	364	1718	21.19

Note that the number of missing values varies by ACE subcategory. Under some conditions you may not see a row for Sexual Abuse in the table. This is because these items only appear on the optional version of the survey instrument, and so either the participating school(s) did not complete that module or because students did not respond to the Sexual Abuse questions.

Number of Adverse Childhood Experiences

Table 20: Number of Adverse Childhood Experiences

	OHYES!		Board	
Response	n	%	n	%
0	7681	43.78	619	35.74
1	4159	23.71	433	25.00
2	2179	12.42	226	13.05
3	1394	7.95	175	10.10
4 or more	2130	12.14	279	16.11
Total	17543	100.00	1732	100.00

Note that there were missing values of number of adverse childhood experiences for 372 cases among OHYES! participants and 29 cases among board participants.

4. School Climate and Safety

In the past year, how often did you feel safe and secure at school?

Table 21: How often feel safe at school last year

	OHYES!		Board	
Response	n	%	n	%
Never	455	2.55	58	3.30
Rarely	495	2.77	75	4.27
Sometimes	1760	9.86	196	11.17
Most of the time	7625	42.71	738	42.05
All of the time	7518	42.11	688	39.20
Total	17853	100.00	1755	100.00

Note that there were missing values of how often students felt safe and secure at school for 62 cases among OHYES! participants and 6 cases among board participants.

During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

Table 22: Number of days did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school

	OHYES!		Board	
Response	n	%	n	%
0 days	16356	91.76	1603	91.24
1 day	767	4.30	72	4.10
2 or 3 days	439	2.46	59	3.36
4 or 5 days	115	0.65	10	0.57
6 or more days	148	0.83	13	0.74
Total	17825	100.00	1757	100.00

Note that there were missing values of number of days students did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school for 90 cases among OHYES! participants and 4 cases among board participants.

During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

Table 23: Number of times threatened by someone with a weapon on school property last year

	OHYES!		Board	
Response	n	%	n	%
0 times	16176	91.66	1591	91.12
1 time	788	4.47	78	4.47
2 or 3 times	419	2.37	40	2.29
4 or 5 times	69	0.39	9	0.52
6 or more times	196	1.11	28	1.60
Total	17648	100.00	1746	100.00

Note that there were missing values of times students were threatened by someone with a weapon on school property last year for 267 cases among OHYES! participants and 15 cases among board participants.

What types of bullying have you experienced in the past 12 months? Note: Respondents could select all that apply.

Table 24: What types of bullying have you experienced in the past 12 months?

	OHYES!		Board	
	Yes	%	Yes	%
Hit, kicked, punched, or people took belongings	1489	8.50	178	10.24
Teased, taunted, or called harmful names	4296	24.53	492	28.31
Spread mean rumors about or kept out of a group	3664	20.92	400	23.01
Teased, taunted, or threatened by e-mail, cell phone, or other electronic methods	1408	8.04	158	9.09
Nude or semi-nude pictures used to pressure someone to have sex that does not want to, blackmail, intimidate, or exploit another person	453	2.59	52	2.99
None of the above	11515	65.74	1075	61.85

Note that there were missing values of types of bullying experienced for 400 cases among OHYES! participants and 23 cases among board participants. Denominators for percentages are based on 17515 available cases among OHYES! participants and 1738 available cases among board participants.

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been bullied on school property?

Table 25: Bullied on school property last year

	OHYES!		Board	
Response	n	%	n	%
No	2365	39.70	246	37.27
Yes	3592	60.30	414	62.73
Total	5957	100.00	660	100.00

Note that there were missing values of bullied on school property last year for 43 cases among OHYES! participants and 3 cases among board participants.

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been electronically bullied?

Table 26: Electronically bullied last year

	OHYES!		Board	
Response	n	%	n	%
No	3699	62.18	391	59.33
Yes	2250	37.82	268	40.67
Total	5949	100.00	659	100.00

Note that there were missing values of electronically bullied last year for 51 cases among OHYES! participants and 4 cases among board participants.

During the past 12 months, how many times were you in a physical fight?

Table 27: Number of times in a physical fight last year

	OHYES!		Board	
Response	n	%	n	%
0 times	14873	83.67	1393	79.42
1 time	1684	9.47	208	11.86
2 to 5 times	925	5.20	113	6.44
6 or more times	293	1.65	40	2.28
Total	17775	100.00	1754	100.00

Note that there were missing values of number of times in a physical fight last year for 140 cases among OHYES! participants and 7 cases among board participants.

Among those who were in a physical fight in the past 12 months: During the past 12 months, how many times were you in a physical fight on school property?

Table 28: Number of times in a physical fight on school property during the past year

	OHYES!		Board	
Response	n	%	n	%
0 times	1620	57.04	211	59.27
1 time	878	30.92	102	28.65
2 to 5 times	279	9.82	34	9.55
6 or more times	63	2.22	9	2.53
Total	2840	100.00	356	100.00

Note that there were missing values of number of times in a physical fight on school property during the past year for 62 cases among OHYES! participants and 5 cases among board participants.

5. School Connectedness and Success

During the past 12 months, how would you describe your grades in school?

Table 29: Academic performance last year

	OHYES!		Board	
Response	n	%	n	%
Mostly A's	9407	52.77	759	43.20
Mostly B's	5262	29.52	596	33.92
Mostly C's	1693	9.50	180	10.24
Mostly D's	393	2.20	24	1.37
Mostly F's	138	0.77	13	0.74
None of these grades	63	0.35	8	0.46
Not sure	869	4.88	177	10.07
Total	17825	100.00	1757	100.00

Note that there were missing values of academic performance last year for 90 cases among OHYES! participants and 4 cases among board participants.

I enjoy coming to school.

Table 30: Level of enjoyment in coming to school

	OHYES!		Board	
Response	n	%	n	%
Strongly disagree	2148	13.14	305	18.61
Disagree	2105	12.87	215	13.12
Neutral	6563	40.14	655	39.96
Agree	4402	26.92	355	21.66
Strongly agree	1134	6.93	109	6.65
Total	16352	100.00	1639	100.00

Note that there were missing values of level of enjoyment in coming to school for 1563 cases among OHYES! participants and 122 cases among board participants.

I feel like I belong at my school.

Table 31: Level of belonging at school

	OHYES!		Board	
Response	n	%	n	%
Strongly disagree	1467	9.01	223	13.61
Disagree	1645	10.11	181	11.04
Neutral	4932	30.30	498	30.38
Agree	6081	37.36	525	32.03
Strongly agree	2152	13.22	212	12.93
Total	16277	100.00	1639	100.00

Note that there were missing values of level of belonging at school for 1638 cases among OHYES! participants and 122 cases among board participants.

I can go to adults at my school for help if I needed it.

Table 32: Level of support from adults at school

	OHYES!		Board	
Response	n	%	n	%
Strongly disagree	1286	7.89	188	11.48
Disagree	1608	9.86	158	9.65
Neutral	4160	25.52	429	26.21
Agree	5982	36.69	559	34.15
Strongly agree	3267	20.04	303	18.51
Total	16303	100.00	1637	100.00

Note that there were missing values of level of support from adults at school for 1612 cases among OHYES! participants and 124 cases among board participants.

My school provides various opportunities to learn about and appreciate different cultures and ways of life.

Table 33: Level of cultural opportunities available at school

	OHYES!		Board	
Response	n	%	n	%
Strongly disagree	1196	7.38	168	10.28
Disagree	1576	9.72	188	11.50
Neutral	4601	28.37	536	32.78
Agree	5998	36.99	522	31.93
Strongly agree	2844	17.54	221	13.52
Total	16215	100.00	1635	100.00

Note that there were missing values of level of cultural opportunities available at school for 1700 cases among OHYES! participants and 126 cases among board participants.

6. Prevention Message

During the past 12 months, do you recall hearing, reading, or watching an advertisement about the prevention of substance use?

Table 34: Hearing, reading, or watching an advertisement about substance use prevention last year

	OHYES!		Board	
Response	n	%	n	%
No	4768	27.91	621	36.51
Yes	12314	72.09	1080	63.49
Total	17082	100.00	1701	100.00

Note that there were missing values of hearing, reading, or watching an advertisement about substance use prevention last year for 833 cases among OHYES! participants and 60 cases among board participants.

During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians, whether or not they live with you?

Table 35: Parents have discussed the dangers of substance use with you within the last year

	OHYES!		Board	
Response	n	%	n	%
No	7764	45.62	911	53.62
Yes	9256	54.38	788	46.38
Total	17020	100.00	1699	100.00

Note that there were missing values of parents have discussed the dangers of substance use with you within the last year for 895 cases among OHYES! participants and 62 cases among board participants.

7. Vehicle Safety

During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

Table 36: Number of times in past 30 days rode in a car driven by someone who had been drinking

	OHYES!		Board	
Response	n	%	n	%
0 times	15901	89.25	1545	88.08
1 time	899	5.05	97	5.53
2 or 3 times	613	3.44	60	3.42
4 or 5 times	125	0.70	11	0.63
6 or more times	278	1.56	41	2.34
Total	17816	100.00	1754	100.00

Note that there were missing values of number of times in past 30 days rode in a car driven by someone who had been drinking for 99 cases among OHYES! participants and 7 cases among board participants.

During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

Table 37: Number of times in past 30 days drove a car when drinking

	OHYES!		Board	
Response	n	%	n	%
I did not drive a car or other vehicle during the past 30 days	8606	48.80	691	40.01
0 times	8698	49.32	992	57.44
1 time	153	0.87	18	1.04
2 or 3 times	91	0.52	16	0.93
4 or 5 times	26	0.15	1	0.06
6 or more times	61	0.35	9	0.52
Total	17635	100.00	1727	100.00

Note that there were missing values of number of times in past 30 days drove a car when drinking for 280 cases among OHYES! participants and 34 cases among board participants.

Among those reporting they did drive a car or other vehicle in the past 30 days: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

Table 38: Texted or emailed while driving

	OHYES!		Board	
Response	n	%	n	%
0 days	5943	72.19	713	75.69
1 or 2 days	755	9.17	73	7.75
3 to 5 days	342	4.15	38	4.03
6 to 9 days	214	2.60	13	1.38
10 to 19 days	275	3.34	15	1.59
20 to 29 days	202	2.45	24	2.55
All 30 days	502	6.10	66	7.01
Total	8233	100.00	942	100.00

Note that there were missing values of texted or emailed while driving for 796 cases among OHYES! participants and 94 cases among board participants.

C. Health and Well-being

1. Body Mass Index and Physical Activity

Body Mass Index – Calculated from the respondent's reported weight, height, and gender

Table 39: Body Mass Index

	OHYES!		Board	
Response	n	%	n	%
Underweight (Less than 5%)	525	3.24	43	2.64
Normal or Healthy Weight (5% to 84%)	10736	66.31	856	52.61
Overweight (85% to 94%)	2558	15.80	303	18.62
Obese (95% and above)	2371	14.64	425	26.12
Total	16190	100.00	1627	100.00

Note that there were missing values of body mass index for 1725 cases among OHYES! participants and 134 cases among board participants. Body Mass Index was not calculated for respondents selecting transgender or gender nonconforming.

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Table 40: Number of days of physical activity of 60 plus minutes per day in the last week

	OHYES!		Board	
Response	n	%	n	%
0 days	1871	11.29	181	10.90
1 day	923	5.57	82	4.94
2 days	1312	7.92	90	5.42
3 days	1639	9.89	144	8.67
4 days	2057	12.42	209	12.58
5 days	2522	15.22	262	15.77
6 days	1680	10.14	154	9.27
7 days	4562	27.54	539	32.45
Total	16566	100.00	1661	100.00

Note that there were missing values of number of days of physical activity of 60 plus minutes per day in the last week for 1349 cases among OHYES! participants and 100 cases among board participants.

Which of the following are you trying to do about your weight?

Table 41: Efforts to change weight

	OHYES!		Board	
Response	n	%	n	%
Lose weight	6870	41.38	825	49.55
Gain weight	2403	14.47	201	12.07
Stay the same weight	2824	17.01	253	15.20
I am not trying to do anything about my weight	4506	27.14	386	23.18
Total	16603	100.00	1665	100.00

Note that there were missing values of efforts to change weight for 1312 cases among OHYES! participants and 96 cases among board participants.

On an average school day, how many hours do you watch TV?

Table 42: Number of hours of TV watched on an average school day

	OHYES!		Board	
Response	n	%	n	%
I do not watch TV on an average school day	3953	23.81	355	21.42
Less than 1 hour per day	3876	23.35	355	21.42
1 hour per day	2868	17.28	254	15.33
2 hours per day	3085	18.58	320	19.31
3 hours per day	1579	9.51	179	10.80
4 hours per day	558	3.36	74	4.47
5 or more hours per day	683	4.11	120	7.24
Total	16602	100.00	1657	100.00

Note that there were missing values of number of hours of TV watched on an average school day for 1313 cases among OHYES! participants and 104 cases among board participants.

On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?

Table 43: Number of hours playing video or computer games or using a computer for something that is not school work on an average school day

	OHYES!		Board	
Response	n	%	n	%
I do not play video or computer games or use a computer for something that is not school work	2683	16.24	294	17.79
Less than 1 hour per day	2340	14.16	215	13.01
1 hour per day	2136	12.93	157	9.50
2 hours per day	2942	17.81	249	15.06
3 hours per day	2397	14.51	213	12.89
4 hours per day	1379	8.35	126	7.62
5 or more hours per day	2645	16.01	399	24.14
Total	16522	100.00	1653	100.00

Note that there were missing values of number of hours played video or computer games or used a computer for something that is not school work on an average school day for 1393 cases among OHYES! participants and 108 cases among board participants.

2. Nutrition

On average how many servings of fruits and vegetables do you have per day?

Table 44: Number of servings of fruits and vegetables eaten on an average day

	OHYES!		Board	
Response	n	%	n	%
1 to 4 servings per day	12551	76.47	1191	72.40
5 or more servings per day	2349	14.31	197	11.98
0 - I do not like fruits or vegetables	948	5.78	166	10.09
0 - I cannot afford fruits or vegetables	189	1.15	31	1.88
0 - I do not have access to fruits or vegetables	376	2.29	60	3.65
Total	16413	100.00	1645	100.00

Note that there were missing values of number of servings of fruits and vegetables eaten on an average day for 1502 cases among OHYES! participants and 116 cases among board participants.

During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?

Table 45: Number of times drank soda or pop in the last week

	OHYES!		Board	
Response	n	%	n	%
I did not drink soda or pop during the past 7 days	5952	36.29	306	18.62
1 to 3 times during the past 7 days	6351	38.73	523	31.83
4 to 6 times during the past 7 days	1473	8.98	237	14.42
1 time per day	1024	6.24	178	10.83
2 times per day	770	4.70	172	10.47
3 times per day	336	2.05	93	5.66
4 or more times per day	494	3.01	134	8.16
Total	16400	100.00	1643	100.00

Note that there were missing values of number of times drank soda or pop in the last week for 1515 cases among OHYES! participants and 118 cases among board participants.

During the past 7 days, on how many days did you eat breakfast?

Table 46: Number of days ate breakfast during the last week

	OHYES!		Board	
Response	n	%	n	%
0 days	2055	12.47	266	16.14
1 day	1216	7.38	145	8.80
2 days	1580	9.59	183	11.10
3 days	1303	7.91	160	9.71
4 days	1449	8.79	196	11.89
5 days	1430	8.68	165	10.01
6 days	1094	6.64	59	3.58
7 days	6353	38.55	474	28.76
Total	16480	100.00	1648	100.00

Note that there were missing values of number of days ate breakfast during the last week for 1435 cases among OHYES! participants and 113 cases among board participants.

3. Wellness Visit

When was the last time you saw a doctor or a nurse for a check-up when you were not sick or injured?

Table 47: Recency of visiting doctor or a nurse for a check-up when you were not sick or injured

	OHYES!		Board	
Response	n	%	n	%
During the past 12 months	9785	59.80	772	47.10
Between 12 and 24 months	1501	9.17	164	10.01
More than 24 months	562	3.43	63	3.84
Never	1309	8.00	186	11.35
Not sure	3206	19.59	454	27.70
Total	16363	100.00	1639	100.00

Note that there were missing values of recency of visiting doctor or a nurse for a check-up when you were not sick or injured for 1552 cases among OHYES! participants and 122 cases among board participants.

When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

Table 48: Recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work

	OHYES!		Board	
Response	n	%	n	%
During the past 12 months	11932	73.12	1004	61.22
Between 12 and 24 months	1490	9.13	183	11.16
More than 24 months	736	4.51	117	7.13
Never	411	2.52	67	4.09
Not sure	1750	10.72	269	16.40
Total	16319	100.00	1640	100.00

Note that there were missing values of recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work for 1596 cases among OHYES! participants and 121 cases among board participants.

4. Concussion

During the past 12 months, did you suffer a blow or jolt to your head while playing with a sports team (either during a game or during practice) which caused you to get knocked out, have memory problems, double or blurry vision, headaches or pressure in the head, or nausea or vomiting?

Table 49: Suffered a head injury while playing with a sports team in the last year

	OHYES!		Board	
Response	n	%	n	%
No	14146	86.90	1386	84.62
Yes	2132	13.10	252	15.38
Total	16278	100.00	1638	100.00

Note that there were missing values of suffered a head injury while playing with a sports team in the last year for 1637 cases among OHYES! participants and 123 cases among board participants.

5. Tanning

During the past 12 months, how many times did you use an indoor tanning device such as sunlamp, sunbed or tanning booth?

Table 50: Number of times used an indoor tanning device in the last 12 months

	OHYES!		Board	
Response	n	%	n	%
0 times	15212	93.74	1410	86.19
1 time	283	1.74	54	3.30
2 to 5 times	296	1.82	76	4.65
6 or more times	437	2.69	96	5.87
Total	16228	100.00	1636	100.00

Note that there were missing values of number of times used an indoor tanning device in the last 12 months for 1687 cases among OHYES! participants and 125 cases among board participants.

6. Sleep

On an average school night, how many hours of sleep do you get?

Table 51: Number of hours of sleep on average school night

	OHYES!		Board	
Response	n	%	n	%
4 hours or less	1431	8.05	172	9.83
5 hours	2012	11.32	199	11.38
6 hours	3647	20.52	383	21.90
7 hours	4669	26.27	396	22.64
8 hours	3986	22.43	414	23.67
9 hours	1584	8.91	137	7.83
10 or more hours	443	2.49	48	2.74
Total	17772	100.00	1749	100.00

Note that there were missing values of number of hours of sleep on average school night for 143 cases among OHYES! participants and 12 cases among board participants.

D. Mental Health

1. Patient Health Questionnaire for Psychological Distress

Subscales are used to assess anxiety and depression. Participants answer two questions on anxiety and two questions on depression with responses that range from "Not at all" to "Nearly every day." To create the subscales, each response is given a numerical value and the participant's responses for the two questions are summed up (score range, 0 to 6). A score of three or greater is considered positive for screening purposes.

Responses from the two questions on anxiety and the two questions on depression are assigned values and combined for each participant (score range, 0 to 12). A score of 6 or greater is considered positive for screening purposes.

Table 52: Patient Health Questionnaire for Psychological Distress (PHQ-4)

	OHYES!		Board	
Response	n	%	n	%
% with anxiety issues warranting further exploration by a mental health professional*	4399	24.80	450	25.71
% with depression issues warranting further exploration by a mental health professional*	3191	18.05	378	21.64
% with mental health issues warranting further exploration by a mental health professional*	3420	19.09	375	21.29

Note: *These cutoffs are based on published thresholds for the 95th percentile for the population on the PHQ-4, where survey items primarily assess depression and anxiety. These measures serve as a brief screening tool, as opposed to a comprehensive measure of mental health issues.

2. Suicide

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

Table 53: In the past year felt sad or hopeless almost every day for two weeks or more in a row

	OHYES!		Board	
Response	n	%	n	%
No	13215	75.90	1239	71.54
Yes	4197	24.10	493	28.46
Total	17412	100.00	1732	100.00

Note that there were missing values of felt sad or hopeless almost every day for two weeks or more in a row in the past year for 503 cases among OHYES! participants and 29 cases among board participants.

During the past 12 months, did you ever seriously consider attempting suicide?

Table 54: During the past year seriously considered attempting suicide

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

Among those who have seriously considered attempting suicide in the past 12 months: During the past 12 months, how many times did you actually attempt suicide?

Table 55: Number of times attempted suicide during the past year

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

Among those who attempted suicide in the past 12 months: If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?

Table 56: Attempted suicide that resulted in injury, poisoning, or overdose that had to be treated

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

3. Coping Strategies

When you are stressed out, how do you manage it? Note: Respondents could select all that apply.

Table 57: When you are stressed out, how do you manage it?

	OHYES!		Board	
	Yes	%	Yes	%
I do not have any stress	2241	12.91	262	15.22
Manage stress through physical activity	8762	50.49	772	44.86
Manage stress through meditation, prayer, or relaxation	3409	19.64	355	20.63
Manage stress by participating in hobbies or community service	4492	25.88	336	19.52
Manage stress through creative expression	5506	31.73	546	31.73
Manage stress with support from others	4905	28.26	369	21.44
Manage stress by avoiding people who create drama	7340	42.30	773	44.92
Manage stress by limiting social media	2502	14.42	288	16.73

Note that there were missing values of how stress is managed for 561 cases among OHYES! participants and 40 cases among board participants. Denominators for percentages are based on 17354 available cases among OHYES! participants and 1721 available cases among board participants.

When was the last time you saw a doctor, nurse, therapist, social worker, or counselor for a mental health problem?

Table 58: Last time saw a health care provider for a mental health problem

	OHYES!		Board	
Response	n	%	n	%
During the past 12 months	4984	28.35	506	29.03
Between 12 and 24 months	774	4.40	88	5.05
More than 24 months	736	4.19	63	3.61
Never	8578	48.79	805	46.18
Not sure	2510	14.28	281	16.12
Total	17582	100.00	1743	100.00

Note that there were missing values of last time students saw a health care provider for a mental health problem for 333 cases among OHYES! participants and 18 cases among board participants.

E. Substance Use

1. Alcohol

How old were you when you had your first drink of alcohol other than a few sips?

Table 59: Age when first drank more than few sips of alcohol

	OHYES!		Board	
Response	n	%	n	%
I have never had a drink of alcohol other than a few sips	11606	69.02	1006	60.38
8 years old or younger	563	3.35	79	4.74
9 or 10 years old	424	2.52	64	3.84
11 or 12 years old	714	4.25	101	6.06
13 or 14 years old	1454	8.65	177	10.62
15 or 16 years old	1734	10.31	206	12.36
17 years old or older	321	1.91	33	1.98
Total	16816	100.00	1666	100.00

Note that there were missing values of age first drank alcohol for 1099 cases among OHYES! participants and 95 cases among board participants.

Among those who have drunk alcohol: How old were you when you had your first drink of alcohol other than a few sips

Table 60: Age when first drank more than few sips of alcohol

	OHYES!		Board	
Response	n	%	n	%
8 years old or younger	563	10.81	79	11.97
9 or 10 years old	424	8.14	64	9.70
11 or 12 years old	714	13.70	101	15.30
13 or 14 years old	1454	27.91	177	26.82
15 or 16 years old	1734	33.28	206	31.21
17 years old or older	321	6.16	33	5.00
Total	5210	100.00	660	100.00

Note that there were missing values of age first drank alcohol for 0 cases among OHYES! participants and 0 cases among board participants.

During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 61: Consumed alcohol on one or more occasions during the past 30 days

	OHYES!		Board	
Response	n	%	n	%
I have never had a drink of alcohol other than a few sips	11606	69.12	1006	60.46
No	3138	18.69	382	22.96
Yes	2047	12.19	276	16.59
Total	16791	100.00	1664	100.00

Note that there were missing values of consumed alcohol on one or more occasions during the past 30 days for 1124 cases among OHYES! participants and 97 cases among board participants.

Among those who have ever consumed alcohol: During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 62: Consumed alcohol on one or more occasions during the past 30 days

	OHYES!		Board	
Response	n	%	n	%
No	3138	60.52	382	58.05
Yes	2047	39.48	276	41.95
Total	5185	100.00	658	100.00

Note that there were missing values of consumed alcohol on one or more occasions during the past 30 days for 25 cases among OHYES! participants and 2 cases among board participants.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have at least one drink of alcohol?

Table 63: Number of days consumed at least one drink of alcohol

	OHYES!		Board	
Response	n	%	n	%
1 or 2 days	974	61.10	105	53.03
3 to 5 days	314	19.70	43	21.72
6 to 9 days	152	9.54	20	10.10
10 to 19 days	86	5.40	14	7.07
20 to 29 days	29	1.82	9	4.55
All 30 days	39	2.45	7	3.54
Total	1594	100.00	198	100.00

Note that there were missing values of number of days consumed at least one drink of alcohol for 453 cases among OHYES! participants and 78 cases among board participants.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

Table 64: Number of days with 5 or more drinks of alcohol within a couple of hours

	OHYES!		Board	
Response	n	%	n	%
0 days	955	55.69	109	50.23
1 day	438	25.54	57	26.27
2 days	157	9.15	22	10.14
3 to 5 days	95	5.54	14	6.45
6 to 9 days	29	1.69	7	3.23
10 to 19 days	19	1.11	6	2.76
20 or more days	22	1.28	2	0.92
Total	1715	100.00	217	100.00

Note that there were missing values of number of days with 5 or more drinks of alcohol within a couple of hours for 332 cases among OHYES! participants and 59 cases among board participants.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, how did you usually get your alcohol? Note: Respondents could select all that apply.

Table 65: During the past 30 days, how did you usually get your alcohol

	OHYES!		Board	
	Yes	%	Yes	%
Bought alcohol in a store	159	8.02	24	8.86
Bought alcohol at a public event	78	3.93	14	5.17
Gave someone else money to buy alcohol for me	563	28.39	101	37.27
Someone gave alcohol to me	924	46.60	129	47.60
Took alcohol from a store or family member	271	13.67	25	9.23
Parent gave alcohol to me	414	20.88	52	19.19
Friend's parent gave alcohol to me	198	9.98	37	13.65
I got alcohol some other way	493	24.86	82	30.26

Note that there were missing values of during the past 30 days, how did you usually get your alcohol for 64 cases among OHYES! participants and 5 cases among board participants. Denominators for percentages are based on 1983 available cases among OHYES! participants and 271 available cases among board participants.

Among those who have consumed alcohol in the past 30 days: When do you usually drink alcohol?

Table 66: Time of day when usually drink

	OHYES!		Board	
Response	n	%	n	%
Before school	23	1.28	2	0.80
During school	20	1.12	1	0.40
After school	73	4.08	6	2.41
Week nights	57	3.18	5	2.01
Weekends	1618	90.34	235	94.38
Total	1791	100.00	249	100.00

Note that there were missing values of time of day when usually drink for 256 cases among OHYES! participants and 27 cases among board participants.

How much do you think people risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

Table 67: Risk of harm from having five or more drinks of an alcoholic beverage once or twice a week

	OHYES!		Board	
Response	n	%	n	%
No risk	1827	10.80	273	16.16
Slight risk	3252	19.22	425	25.16
Moderate risk	6006	35.50	530	31.38
Great risk	5833	34.48	461	27.29
Total	16918	100.00	1689	100.00

Note that there were missing values of risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week for 997 cases among OHYES! participants and 72 cases among board participants

How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Table 68: How wrong parents would feel it is for you to have one or two drinks of an alcoholic beverage nearly every day

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	721	4.29	106	6.33
A little bit wrong	1006	5.98	160	9.56
Wrong	2923	17.38	377	22.52
Very wrong	12173	72.36	1031	61.59
Total	16823	100.00	1674	100.00

Note that there were missing values of how wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day for 1092 cases among OHYES! participants and 87 cases among board participants

How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Table 69: How wrong friends would feel it is for you to have one or two drinks of an alcoholic beverage nearly every day

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	1754	10.49	314	18.82
A little bit wrong	2591	15.50	334	20.02
Wrong	4978	29.79	469	28.12
Very wrong	7390	44.22	551	33.03
Total	16713	100.00	1668	100.00

Note that there were missing values of how wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day for 1202 cases among OHYES! participants and 93 cases among board participants.

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

Table 70: How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day

	OHYES!		Board	
Response	n	%	n	%
Neither approve nor disapprove	2437	14.70	375	22.58
Somewhat disapprove	3122	18.83	386	23.24
Strongly disapprove	11022	66.47	900	54.18
Total	16581	100.00	1661	100.00

Note that there were missing values of how do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day for 1334 cases among OHYES! participants and 100 cases among board participants.

2. Tobacco and Vapor Products

During the past 30 days, did you smoke part or all of a cigarette?

Table 71: Smoked part or all of a cigarette in the past 30 days

	OHYES!		Board	
Response	n	%	n	%
No	16479	94.24	1550	89.49
Yes	1007	5.76	182	10.51
Total	17486	100.00	1732	100.00

Note that there were missing values of smoke part or all of a cigarette in 30 days for 429 cases among OHYES! participants and 29 cases among board participants.

Among those who smoked all or part of a cigarette in the past 30 days: During the past 30 days, on how many days did you smoke cigarettes?

Table 72: Number of days smoked cigarettes in the past 30 days

	OHYES!		Board	
Response	n	%	n	%
1 or 2 days	346	38.70	67	40.12
3 to 5 days	116	12.98	18	10.78
6 to 9 days	62	6.94	8	4.79
10 to 19 days	87	9.73	21	12.57
20 to 29 days	67	7.49	9	5.39
All 30 days	216	24.16	44	26.35
Total	894	100.00	167	100.00

Note that there were missing values of number of days smoked cigarettes in past 30 days for 113 cases among OHYES! participants and 15 cases among board participants.

Among those who smoked all or part of a cigarette in the past 30 days: During the past 30 days, how did you usually get your own cigarettes? Note: Respondents could select all that apply.

Table 73: How cigarettes were obtained in the past 30 days

	OHYES!		Board	
	Yes	%	Yes	%
Bought them in a store such as a convenience store, supermarket, discount re, or gas station	225	22.94	35	19.55
Got cigarettes from the Internet	24	2.45	3	1.68
Bought cigarettes from vending machine	20	2.04	3	1.68
Gave someone else money to buy cigarettes	285	29.05	52	29.05
Borrowed (bummed) cigarettes from someone else	407	41.49	75	41.90
A person 18 years old or older gave them to me	265	27.01	47	26.26
Took cigarettes from a store	21	2.14	2	1.12
Took cigarettes from family member	185	18.86	39	21.79
Got cigarettes some other way	191	19.47	44	24.58

Note that there were missing values of how cigarettes were obtained in the past 30 days for 26 cases among OHYES! participants and 3 cases among board participants. Denominators for percentages are based on 981 available cases among OHYES! participants and 179 available cases among board participants.

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal Bandits, or Copenhagen?

Table 74: Number of days used chewing tobacco, snuff, or dip in the past 30 days

	OHYES!		Board	
Response	n	%	n	%
0 days	16751	96.07	1542	89.08
1 or 2 days	213	1.22	45	2.60
3 to 5 days	78	0.45	18	1.04
6 to 9 days	56	0.32	9	0.52
10 to 19 days	60	0.34	14	0.81
20 to 29 days	44	0.25	15	0.87
All 30 days	235	1.35	88	5.08
Total	17437	100.00	1731	100.00

Note that there were missing values of number of days used chewing tobacco, snuff, or dip in the past 30 days for 478 cases among OHYES! participants and 30 cases among board participants.

During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

Table 75: Number of days smoked cigars, cigarillos, or little cigars in the past 30 days

	OHYES!		Board	
Response	n	%	n	%
0 days	16653	95.86	1592	92.50
1 or 2 days	355	2.04	70	4.07
3 to 5 days	115	0.66	16	0.93
6 to 9 days	81	0.47	13	0.76
10 to 19 days	61	0.35	10	0.58
20 to 29 days	28	0.16	6	0.35
All 30 days	80	0.46	14	0.81
Total	17373	100.00	1721	100.00

Note that there were missing values of number of days smoked cigars, cigarillos, or little cigars in the past 30 days for 542 cases among OHYES! participants and 40 cases among board participants.

During the past 30 days, on how many days did you use an electronic vapor product?

Table 76: Number of days used an electronic vapor product in the past 30 days

	OHYES!		Board	
Response	n	%	n	%
0 days	15204	87.72	1501	87.27
1 or 2 days	828	4.78	94	5.47
3 to 5 days	343	1.98	38	2.21
6 to 9 days	236	1.36	25	1.45
10 to 19 days	255	1.47	27	1.57
20 to 29 days	133	0.77	11	0.64
All 30 days	334	1.93	24	1.40
Total	17333	100.00	1720	100.00

Note that there were missing values of number of days used an electronic vapor product in the past 30 days for 582 cases among OHYES! participants and 41 cases among board participants.

How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

Table 77: Perceived risk tobacco use one or more packs daily

	OHYES!		Board	
Response	n	%	n	%
No risk	1518	9.05	230	13.74
Slight risk	1864	11.11	231	13.80
Moderate risk	3539	21.09	394	23.54
Great risk	9861	58.76	819	48.92
Total	16782	100.00	1674	100.00

Note that there were missing values of perceived risk tobacco use one or more packs daily for 1133 cases among OHYES! participants and 87 cases among board participants.

How wrong do your parents feel it would be for you to smoke tobacco?

Table 78: Perception of parental disapproval for smoking tobacco

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	511	3.04	83	4.96
A little bit wrong	630	3.75	106	6.34
Wrong	2032	12.09	277	16.56
Very wrong	13638	81.13	1207	72.15
Total	16811	100.00	1673	100.00

Note that there were missing values of perception of parental disapproval for smoking tobacco for 1104 cases among OHYES! participants and 88 cases among board participants.

How wrong do your friends feel it would be for you to smoke tobacco?

Table 79: Perception of peer disapproval for smoking tobacco

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	1621	9.72	296	17.76
A little bit wrong	1859	11.14	234	14.04
Wrong	4364	26.16	457	27.41
Very wrong	8837	52.98	680	40.79
Total	16681	100.00	1667	100.00

Note that there were missing values of perception of peer disapproval for smoking tobacco for 1234 cases among OHYES! participants and 94 cases among board participants.

3. Prescription Drugs

During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

Table 80: In lifetime, number of times taken a prescription drug without a doctor's prescription

	OHYES!		Board	
Response	n	%	n	%
0 times	16003	92.50	1573	91.77
1 or 2 times	619	3.58	59	3.44
3 to 9 times	326	1.88	40	2.33
10 to 19 times	123	0.71	13	0.76
20 to 39 times	56	0.32	7	0.41
40 or more times	174	1.01	22	1.28
Total	17301	100.00	1714	100.00

Note that there were missing values of number of times taken a prescription drug without a doctor's prescription in lifetime for 614 cases among OHYES! participants and 47 cases among board participants.

During the past 30 days, have you used prescription drugs not prescribed to you?

Table 81: Any past 30-day prescription drug misuse/abuse

	OHYES!		Board	
Response	n	%	n	%
I have never taken a prescription drug without a doctor's prescription	16003	92.55	1573	91.77
No	1012	5.85	96	5.60
Yes	276	1.60	45	2.63
Total	17291	100.00	1714	100.00

Note that there were missing values of past 30-day misuse/abuse of prescription drugs for 624 cases among OHYES! participants and 47 cases among board participants.

Among those who have taken a prescription drug without a doctor's prescription: During the past 30 days, have you used prescription drugs not prescribed to you?

Table 82: Any past 30-day prescription drug misuse/abuse

	OHYES!		Board	
Response	n	%	n	%
No	1012	78.57	96	68.09
Yes	276	21.43	45	31.91
Total	1288	100.00	141	100.00

Note that there were missing values of past 30-day misuse/abuse of prescription drugs for 10 cases among OHYES! participants and 0 cases among board participants.

Among those who have used a prescription drug not prescribed in the past 30 days: During the past 30 days, have you used prescription pain relievers or pain killers such as Vicodin, Percocet, OxyContin, Lortabs, or Codeine (also called Oxy, OxyContin, OS, Norco or Vikes) that were not prescribed to you?

Table 83: Any past 30 day use of prescription pain relievers or pain killers not prescribed to you

	OHYES!		Board	
Response	n	%	n	%
No	121	44.32	18	40.91
Yes	152	55.68	26	59.09
Total	273	100.00	44	100.00

Note that there were missing values of past 30-day misuse/abuse of prescription pain relievers for 3 cases among OHYES! participants and 1 cases among board participants.

Among those who have used a prescription drug not prescribed in the past 30 days: What type of prescription drug do you usually take without a doctor's prescription?

Table 84: Type of prescription drug usually misused

	OHYES!		Board	
Response	n	%	n	%
Narcotic pain relievers, such as OxyContin, Percocet, Vicodin, or Lortabs	52	19.26	10	22.22
Tranquilizers or anti-anxiety drugs such as Xanax, or Valium	54	20.00	9	20.00
Sleeping pills, sedatives and other depressants such as Ambien, or phenobarbital	32	11.85	8	17.78
Stimulants or amphetamines such as Ritalin (also called Vitamin R or Study Drug)	19	7.04	1	2.22
I take multiple types of prescription drugs at the same time	31	11.48	3	6.67
Not sure	55	20.37	11	24.44
Total	270	100.00	45	100.00

Note that there were missing values of prescription type for 6 cases among OHYES! participants and 0 cases among board participants.

Among those who have used a prescription drug not prescribed in the past 30 days: When do you usually use prescription drugs not prescribed to you?

Table 85: Time of day when usually misuse prescription drugs

	OHYES!		Board	
Response	n	%	n	%
Before school	20	9.62	3	8.33
During school	29	13.94	4	11.11
After school	37	17.79	9	25.00
Week nights	42	20.19	9	25.00
Weekends	80	38.46	11	30.56
Total	208	100.00	36	100.00

Note that there were missing values of when prescription drugs not prescribed were used for 68 cases among OHYES! participants and 9 cases among board participants.

How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

Table 86: Perceived risk/harm for prescription drugs

	OHYES!		Board	
Response	n	%	n	%
No risk	1161	6.95	176	10.52
Slight risk	1533	9.18	199	11.89
Moderate risk	4167	24.95	400	23.91
Great risk	9841	58.92	898	53.68
Total	16702	100.00	1673	100.00

Note that there were missing values of perceived risk/harm for prescription drugs for 1213 cases among OHYES! participants and 88 cases among board participants.

How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?

Table 87: Perception of parental disapproval for prescription drug misuse/abuse

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	411	2.45	62	3.70
A little bit wrong	466	2.77	69	4.12
Wrong	1881	11.19	186	11.10
Very wrong	14046	83.59	1358	81.07
Total	16804	100.00	1675	100.00

Note that there were missing values of perception of parental disapproval for prescription drug misuse/abuse for 1111 cases among OHYES! participants and 86 cases among board participants.

How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

Table 88: Perception of peer disapproval for prescription drugs

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	945	5.68	155	9.33
A little bit wrong	1387	8.34	142	8.55
Wrong	3981	23.93	381	22.94
Very wrong	10324	62.05	983	59.18
Total	16637	100.00	1661	100.00

Note that there were missing values of perception of peer disapproval for prescription drugs for 1278 cases among OHYES! participants and 100 cases among board participants.

4. Over-the-Counter Medications

During your life, how many times have you taken over-the-counter medications such as cold medicine, allergy medicine, or pain reliever to get high?

Table 89: In lifetime, number of times taken over the counter medication to get high

	OHYES!		Board	
Response	n	%	n	%
0 times	15929	92.58	1554	90.98
1 or 2 times	375	2.18	35	2.05
3 to 9 times	315	1.83	40	2.34
10 to 19 times	206	1.20	28	1.64
20 to 39 times	116	0.67	15	0.88
40 or more times	265	1.54	36	2.11
Total	17206	100.00	1708	100.00

Note that there were missing values of over the counter medication taken to get high for 709 cases among OHYES! participants and 53 cases among board participants.

5. Marijuana

How old were you when you tried marijuana for the first time?

Table 90: Age when first tried marijuana

	OHYES!		Board	
Response	n	%	n	%
I have never tried marijuana	14752	85.22	1400	81.68
8 years old or younger	121	0.70	16	0.93
9 or 10 years old	131	0.76	15	0.88
11 or 12 years old	338	1.95	52	3.03
13 or 14 years old	828	4.78	106	6.18
15 or 16 years old	976	5.64	116	6.77
17 years old or older	165	0.95	9	0.53
Total	17311	100.00	1714	100.00

Note that there were missing values of age when marijuana was first used for 604 cases among OHYES! participants and 47 cases among Board participants.

Among those who have tried marijuana: How old were you when you tried marijuana for the first time?

Table 91: Age when first tried marijuana

	OHYES!		Board	
Response	n	%	n	%
8 years old or younger	121	4.73	16	5.10
9 or 10 years old	131	5.12	15	4.78
11 or 12 years old	338	13.21	52	16.56
13 or 14 years old	828	32.36	106	33.76
15 or 16 years old	976	38.14	116	36.94
17 years old or older	165	6.45	9	2.87
Total	2559	100.00	314	100.00

Note that there were missing values of age when marijuana was first used for 0 cases among OHYES! participants and 0 cases among Board participants.

During the past 30 days, have you used marijuana or hashish?

Table 92: Used marijuana or hashish during the past 30 days

	OHYES!		Board	
Response	n	%	n	%
I have never tried marijuana	14752	85.26	1400	81.78
No	1439	8.32	173	10.11
Yes	1111	6.42	139	8.12
Total	17302	100.00	1712	100.00

Note that there were missing values of used marijuana or hashish during the past 30 days for 613 cases among OHYES! participants and 49 cases among board participants.

Among those who have tried marijuana: During the past 30 days, have you used marijuana or hashish?

Table 93: Used marijuana or hashish during the past 30 days

	OHYES!		Board	
Response	n	%	n	%
No	1439	56.43	173	55.45
Yes	1111	43.57	139	44.55
Total	2550	100.00	312	100.00

Note that there were missing values of used marijuana or hashish during the past 30 days for 9 cases among OHYES! participants and 2 cases among board participants.

Among those who have used marijuana in the past 30 days: During the past 30 days, how many times did you use marijuana?

Table 94: Number of times used marijuana in the past 30 days

	OHYES!		Board	
Response	n	%	n	%
1 or 2 times	333	31.21	42	31.34
3 to 9 times	291	27.27	33	24.63
10 to 19 times	151	14.15	16	11.94
20 to 39 times	94	8.81	15	11.19
40 or more times	198	18.56	28	20.90
Total	1067	100.00	134	100.00

Note that there were missing values of number of times used marijuana in the past 30 days for 44 cases among OHYES! participants and 5 cases among board participants.

Among those who have used marijuana in the past 30 days: During the past 30 days, how did you usually use marijuana?

Table 95: Usual method of using marijuana

	OHYES!		Board	
Response	n	%	n	%
I smoked it in a joint, bong, pipe, or blunt	907	86.79	112	86.15
I ate it in food such as brownies, cakes, cookies, or candy	71	6.79	8	6.15
I drank it in tea, cola, alcohol, or other drinks	7	0.67	0	0.00
I vaporized it	37	3.54	8	6.15
I used it some other way	23	2.20	2	1.54
Total	1045	100.00	130	100.00

Note that there were missing values of usual method of using marijuana for 66 cases among OHYES! participants and 9 cases among board participants.

Among those who have used marijuana in the past 30 days: When do you usually use marijuana?

Table 96: Time of day when usually use marijuana

	OHYES!		Board	
Response	n	%	n	%
Before school	42	4.07	6	4.62
During school	25	2.42	3	2.31
After school	212	20.52	33	25.38
Week nights	122	11.81	19	14.62
Weekends	632	61.18	69	53.08
Total	1033	100.00	130	100.00

Note that there were missing values of time of day when usually use marijuana for 78 cases among OHYES! participants and 9 cases among board participants.

How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?

Table 97: Risk of harm if smoke marijuana once or twice a week

	OHYES!		Board	
Response	n	%	n	%
No risk	3542	21.17	453	27.06
Slight risk	3708	22.16	380	22.70
Moderate risk	4173	24.94	351	20.97
Great risk	5308	31.73	490	29.27
Total	16731	100.00	1674	100.00

Note that there were missing values of risk of harm if smoke marijuana once or twice a week for 1184 cases among OHYES! participants and 87 cases among board participants.

How wrong do your parents feel it would be for you to smoke marijuana?

Table 98: How wrong parents would feel it is for you to smoke marijuana

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	751	4.48	109	6.52
A little bit wrong	1042	6.22	105	6.28
Wrong	1872	11.17	207	12.39
Very wrong	13097	78.14	1250	74.81
Total	16762	100.00	1671	100.00

Note that there were missing values of how wrong do your parents feel it would be for you to smoke marijuana for 1153 cases among OHYES! participants and 90 cases among board participants.

How wrong do your friends feel it would be for you to smoke marijuana?

Table 99: How wrong friends would feel it is for you to smoke marijuana

	OHYES!		Board	
Response	n	%	n	%
Not at all wrong	2905	17.48	385	23.18
A little bit wrong	2219	13.35	215	12.94
Wrong	3304	19.88	365	21.97
Very wrong	8194	49.30	696	41.90
Total	16622	100.00	1661	100.00

Note that there were missing values of how wrong do your friends feel it would be for you to smoke marijuana for 1293 cases among OHYES! participants and 100 cases among board participants.

How do you feel about someone your age trying marijuana or hashish once or twice?

Table 100: How do you feel about someone your age trying marijuana or hashish once or twice

	OHYES!		Board	
Response	n	%	n	%
Neither approve nor disapprove	4622	27.79	503	30.21
Somewhat disapprove	3097	18.62	292	17.54
Strongly disapprove	8915	53.60	870	52.25
Total	16634	100.00	1665	100.00

Note that there were missing values of how do you feel about someone your age trying marijuana or hashish once or twice for 1281 cases among OHYES! participants and 96 cases among board participants.

How do you feel about someone your age using marijuana once a month or more?

Table 101: How do you feel about someone your age using marijuana once a month or more

	OHYES!		Board	
Response	n	%	n	%
Neither approve nor disapprove	4714	28.50	513	31.00
Somewhat disapprove	3093	18.70	289	17.46
Strongly disapprove	8735	52.80	853	51.54
Total	16542	100.00	1655	100.00

Note that there were missing values of how do you feel about someone your age using marijuana once a month or more for 1373 cases among OHYES! participants and 106 cases among board participants.

6. Illicit Drugs

During the past 12 months, has anyone offered, sold, or given you an illegal drug at any of the following places? Note: Respondents could select all that apply

Table 102: Illegal drugs solicitation in the past 12 months

	OHYES!		Board	
	Yes	%	Yes	%
On school property	824	4.86	82	4.83
On the school bus	237	1.40	33	1.94
At a friend's house	852	5.02	79	4.66
In my neighborhood	708	4.17	81	4.77
At none of these locations	15300	90.20	1534	90.39

Note that there were missing values of illegal drugs solicitation items for 952 cases among OHYES! participants and 64 cases among board participants. Denominators for percentages are based on 16963 available cases among OHYES! participants and 1697 available cases among board participants.

F. Gambling

During the past 12 months, how often did you gamble money or personal items such as while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet?

Table 103: Frequency gambled money or personal items in the past 12 months

	OHYES!		Board	
Response	n	%	n	%
I did not gamble money or personal items during the past 12 months	13875	86.79	1335	83.02
Less than once a month	1155	7.23	129	8.02
About once a month	459	2.87	60	3.73
About once a week	287	1.80	49	3.05
Daily	210	1.31	35	2.18
Total	15986	100.00	1608	100.00

Note that there were missing values of frequency gambled money or personal items in the past 12 months for 1929 cases among OHYES! participants and 153 cases among board participants.

Among those who have gambled in the past 12 months: During the past 12 months, how often did you gamble money or personal items such as while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet?

Table 104: Frequency gambled money or personal items in the past 12 months

	OHYES!		Board	
Response	n	%	n	%
Less than once a month	1155	54.71	129	47.25
About once a month	459	21.74	60	21.98
About once a week	287	13.60	49	17.95
Daily	210	9.95	35	12.82
Total	2111	100.00	273	100.00

Note that there were missing values of frequency gambled money or personal items in the past 12 months for 0 cases among OHYES! participants and 0 cases among board participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever gambled more than you planned to?

Table 105: Gambled more than planned in the last 12 months

	OHYES!		Board	
Response	n	%	n	%
No	1583	75.49	188	69.12
Yes	514	24.51	84	30.88
Total	2097	100.00	272	100.00

Note that there were missing values of gambled more than planned in the last 12 months for 14 cases among OHYES! participants and 1 cases among board participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever felt bad about the amount you bet, or about what happens when you bet money?

Table 106: Felt bad about the amount bet or about what happens when betting in the last 12 months

	OHYES!		Board	
Response	n	%	n	%
No	1641	78.78	205	75.65
Yes	442	21.22	66	24.35
Total	2083	100.00	271	100.00

Note that there were missing values of felt bad about the amount bet or about what happens when betting in the last 12 months for 28 cases among OHYES! participants and 2 cases among board participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever hidden from family or friends any betting slips, I.O.U.s, lottery tickets, money that you have won, or other signs of gambling?

Table 107: Hidden from family or friends signs of gambling in the last 12 months

	OHYES!		Board	
Response	n	%	n	%
No	1849	88.98	224	83.27
Yes	229	11.02	45	16.73
Total	2078	100.00	269	100.00

Note that there were missing values of hidden from family or friends signs of gambling in the last 12 months for 33 cases among OHYES! participants and 4 cases among board participants.

Among those who have gambled in the past 12 months: Have you ever lied to people important to you about how much you gamble?

Table 108: Lied to important people about gambling

	OHYES!		Board	
Response	n	%	n	%
No	1216	89.54	145	86.31
Yes	142	10.46	23	13.69
Total	1358	100.00	168	100.00

Note that there were missing values of lied to important people about gambling for 753 cases among OHYES! participants and 105 cases among board participants.

G. Sexual Health

1. Sexual Behavior

Have you ever had sexual intercourse?

Table 109: Ever had sexual intercourse

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

Table 110: Method of pregnancy prevention during last sexual intercourse

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, did you or your partner use a condom?

Table 111: Used a condom during last sexual intercourse

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: During the past 3 months, with how many people did you have sexual intercourse?

Table 112: Number of sexual intercourse partners in the last 3 months

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: Did you drink alcohol or use drugs before you had sexual intercourse the last time?

Table 113: Drank alcohol or use drugs before last sexual intercourse

This question was not asked among board participants.

Note that this item only appears on the optional version of the survey instrument.