

OHYES! Report for Hardin County - 2018-2019



Suggested Citation:

Ohio Healthy Youth Environments Survey (OHYES!). (2020). *OHYES! Report for Hardin County - 2018-2019*. Ohio Department of Mental Health and Addiction Services. <https://ohyes.ohio.gov/Results>

Contents

- Background** 1
- About the OHYES!** 1
- About this Report** 2
- A. Demographics** 4
- B. Family, School, and Community Environment** 8
 - 1. Community Environments 8
 - 2. Family and Peer Factors 9
 - 3. Safety and Violence 12
 - 4. School Climate and Safety 14
 - 5. School Connectedness and Success 18
 - 6. Prevention Message 20
 - 7. Vehicle Safety 21
- C. Health and Well-being** 24
 - 1. Body Mass Index and Physical Activity 24
 - 2. Nutrition 27
 - 3. Wellness Visit 28
 - 4. Concussion 29
 - 5. Tanning 30
 - 6. Sleep 30
- D. Mental Health** 31
 - 1. Patient Health Questionnaire for Psychological Distress 31
 - 2. Suicide 32
 - 3. Coping Strategies 34
- E. Substance Use** 36
 - 1. Alcohol 36
 - 2. Tobacco and Vapor Products 42
 - 3. Prescription Drugs 48
 - 4. Over-the-Counter Medications 53
 - 5. Marijuana 54
 - 6. Illicit Drugs 59
- F. Gambling** 60
- G. Sexual Health** 63
 - 1. Sexual Behavior 63

Background

Nationally, trends in youth behaviors and risk and protective factors are measured using school-based surveys such as the Monitoring the Future Survey (MTF) and the Centers for Disease Control and Prevention's Youth Risk Behavior Survey (YRBS) and Youth Tobacco Survey (YTS). These surveys provide valuable national and state-level data; however, they do not provide county or school district-level data. Communities have needed access to local data to address community-specific needs and to conduct health assessments. Over the years, they have deployed a wide variety of local surveys in an attempt to address these needs, often investing substantial resources to have private survey companies collect the local data. Having many different survey instruments, means the results are then not always comparable across surveys nor over time, and counties and districts cannot usually benchmark results to state or regional samples. Consequently, communities across Ohio have repeatedly called for an inexpensive and valid survey of youth to guide local policy, program development and implementation efforts.

About the OHYES!

Purpose

The Ohio Healthy Youth Environments Survey (OHYES!) is a collaborative effort of the Ohio Departments of Education, Health and Mental Health and Addiction Services, Ohio National Guard and representatives from higher education, juvenile courts, foundations, and community service providers.

There are two main purposes with OHYES! First, the OHYES! addresses the need for data on local trends in youth behaviors and risk and protective factors. Second, it helps community-based organizations meet federal grant reporting requirements, including ones from: Strategic Prevention Framework Partnerships for Success, Drug Free Communities, Safe Schools and Healthy Students, Communities that Care Grants, and the Substance Abuse and Mental Health Services Administration (SAMHSA) Prevention and Treatment Block Grant National Outcome Measures (NOMs). Additionally, the OHYES! data may help communities when applying for local grants through foundations such as the United Way. It may also help communities meet the requirements for local health department needs assessments.

Instrument

The OHYES! survey questions cover the following topics: Demographics, Alcohol & Tobacco/Vapor Products, Marijuana & Other Drugs, Bullying, Safety & School Climate, Physical Health & Well-being, Mental Health & Gambling, Parental Attitudes of Substance Use, Community, Family & Peer Factors, and School Success. Schools may administer the standard OHYES! survey instrument, which includes 101 questions. In addition, school districts may choose to use an optional version that includes ten questions that could be sensitive to some communities (sexual behavior and suicide). This report includes all 111-items that appear on the optional version of the survey. Please see table notes for items that only appear on the optional version of the survey and are not asked when schools administer the standard version of the instrument. Currently, the survey instrument is only available in English. More information about the survey and copies of the survey instrument can be found on the OHYES! website at ohyes.ohio.gov.

Survey Administration

The OHYES! is a voluntary, web-based survey that is available to schools free of charge. The survey is scheduled to be conducted every four years, but may be administered more frequently, if a community identifies a need. All students in Ohio schools in grades 7 through 12 (age 12 or older) are eligible to participate. Superintendents and principals are solicited to have their schools complete the survey; they select the grades and percentage of students in those grades to participate.

Confidentiality

Survey administrators are provided protocols to ensure the privacy and confidentiality of the survey participants. Since the OHYES! is a web-based application, no information is collected or stored on school servers, and individual identification numbers are not collected. The data from the web application is collected and stored on secured, encrypted, and password protected servers at the Ohio Department of Mental Health and Addiction Services (OhioMHAS).

Consent

Prior to the survey administration, parents are notified and provided information about the survey. Then, they have three weeks to submit an Opt-Out Form to exclude their child from participating. At the beginning of the survey, participating students are asked for their agreement to answer the survey questions. Students have the option to skip a question and quit the survey at any time.

About this Report

Participants

This report includes results for Hardin County and all Ohio students who participated in the OHYES! survey during the 2018-2019 school year. The following school districts in Hardin County participated in the OHYES! survey during the 2018-2019 school year: Ada Exempted Village, Hardin Northern Local, Kenton City, Ridgemont Local, Upper Scioto Valley Local. For more information on OHYES! participation by school year, please visit the results section of the OHYES! website at ohyes.ohio.gov/Results.

Limitations

As a reminder, the OHYES! was designed to provide actionable local data for district superintendents and school principals based on a voluntary sample of surveyed youth. The OHYES! data were collected based on a descriptive, cross-sectional survey design, with a non-probability sampling method. The voluntary nature of the survey means that the OHYES! results are not generalizable to all Ohio youth. Further, county-level OHYES! results may not represent all students in a given county or school district. Any interpretations from the OHYES! data must keep these limitations in mind. This report may not provide numbers that are an exact match the reports available on the Ohio Department of Health (ODH) Public Health Data Warehouse. This is due to ODH data suppression rules and differing data subset criteria.

Report Preparation

Voinovich School of Leadership and Public Affairs
Ohio University
Building 21, The Ridges
Athens, OH 45701

Pacific Institute for Research and Evaluation
401 W. Main Street, Suite 2100
Louisville, KY 40202

OHYES! Information

Website: ohyes.ohio.gov

Email: info@ohyes.ohio.gov

Phone: (866) 563-6904

A. Demographics

OHYES! participants

Table 1: Participants

Response	OHYES!		County	
	n	%	n	%
Participants	12845	100.00	1383	100.00
Total	12845	100.00	1383	100.00

How old are you?

Table 2: Age

Response	OHYES!		County	
	n	%	n	%
12 years old	1198	9.38	31	2.25
13 years old	2517	19.70	247	17.96
14 years old	2428	19.00	277	20.15
15 years old	2324	18.19	269	19.56
16 years old	2148	16.81	241	17.53
17 years old	1580	12.37	190	13.82
18 years old or older	582	4.56	120	8.73
Total	12777	100.00	1375	100.00

Note that there were missing values of age for 68 cases among OHYES! participants and 8 cases among county participants.

What is your sex?

Table 3: Gender

Response	OHYES!		County	
	n	%	n	%
Male	6305	49.16	701	50.80
Female	6270	48.89	651	47.17
Transgender	89	0.69	12	0.87
Gender Nonconforming	161	1.26	16	1.16
Total	12825	100.00	1380	100.00

Note that there were missing values of gender for 20 cases among OHYES! participants and 3 cases among county participants.

In what grade are you?

Table 4: Grade

Response	OHYES!		County	
	n	%	n	%
7th grade	2570	20.09	261	19.00
8th grade	2443	19.09	296	21.54
9th grade	2438	19.05	246	17.90
10th grade	2087	16.31	238	17.32
11th grade	2190	17.12	199	14.48
12th grade	1047	8.18	131	9.53
Ungraded or other grade	20	0.16	3	0.22
Total	12795	100.00	1374	100.00

Note that there were missing values of grade for 50 cases among OHYES! participants and 9 cases among county participants.

Are you Hispanic or Latino?

Table 5: Hispanic Origin

Response	OHYES!		County	
	n	%	n	%
No	11995	94.77	1283	93.31
Yes	662	5.23	92	6.69
Total	12657	100.00	1375	100.00

Note that there were missing values of Hispanic origin for 188 cases among OHYES! participants and 8 cases among county participants.

How do you describe yourself?

Table 6: Race and Hispanic Origin

Response	OHYES!		County	
	n	%	n	%
Black or African American (non-Hispanic)	264	2.08	21	1.53
White (non-Hispanic)	9974	78.41	1072	78.02
Hispanic/Latino	662	5.20	92	6.70
All other races (non-Hispanic)	738	5.80	87	6.33
Multiple races (non-Hispanic)	1083	8.51	102	7.42
Total	12721	100.00	1374	100.00

Note that there were missing values of race and Hispanic origin for 124 cases among OHYES! participants and 9 cases among county participants.

Among those who identified as Hispanic or Latino: How do you describe yourself?

Table 7: Hispanic Origin and Race

Response	OHYES!		County	
	n	%	n	%
Hispanic - Black or African-American	49	7.40	7	7.61
Hispanic - No Race Specified	77	11.63	7	7.61
Hispanic - Other	169	25.53	26	28.26
Hispanic - White	367	55.44	52	56.52
Total	662	100.00	92	100.00

Note that there were missing values of Hispanic origin and race for 0 cases among OHYES! participants and 0 cases among county participants.

Which of the following best describes you?

Table 8: Sexual Orientation

Response	OHYES!		County	
	n	%	n	%
Straight	3068	85.55	159	85.03
Gay	39	1.09	2	1.07
Lesbian	42	1.17	4	2.14
Bi-sexual	229	6.39	12	6.42
Other	58	1.62	3	1.60
Not sure	150	4.18	7	3.74
Total	3586	100.00	187	100.00

Note that there were missing values of sexual orientation for 9259 cases among OHYES! participants and 1196 cases among county participants. This item only appears on the optional version of the survey instrument.

Is your father, mother or caretaker currently in the military (Army, Navy, Marines, Air Force, National Guard, or Reserves)?

Table 9: Parent in Military

Response	OHYES!		County	
	n	%	n	%
No	12206	95.31	1324	95.87
Yes	373	2.91	32	2.32
Don't know	228	1.78	25	1.81
Total	12807	100.00	1381	100.00

Note that there were missing values of parent in military for 38 cases among OHYES! participants and 2 cases among county participants.

How many times have you ever moved to a new address?

Table 10: Number of times moved to new address

Response	OHYES!		County	
	n	%	n	%
0 times	3055	23.91	325	23.62
1 time	3057	23.92	259	18.82
2 times	1642	12.85	174	12.65
3 times	1766	13.82	193	14.03
4 or more times	3258	25.50	425	30.89
Total	12778	100.00	1376	100.00

Note that there were missing values of number of times moved to new address for 67 cases among OHYES! participants and 7 cases among county participants.

B. Family, School, and Community Environment

1. Community Environments

There are a lot of adults in my neighborhood (town, community) I could talk to about something important.

Table 11: There are a lot of adults in the neighborhood (town, community) to talk to about something important

Response	OHYES!		County	
	n	%	n	%
No	5343	47.12	540	45.42
Yes	5997	52.88	649	54.58
Total	11340	100.00	1189	100.00

Note that there were missing values of adults in the neighborhood (town, community) to talk to about something important for 1505 cases among OHYES! participants and 194 cases among county participants.

On how many of the past 7 days did you take part in organized after school, evening or weekend activities (other than sports teams) such as school clubs, community center groups, music/art/dancing lessons, drama, church or other supervised activities?

Table 12: Number of days participated in organized after school, evening or weekend activities in the last 7 days

Response	OHYES!		County	
	n	%	n	%
0 days	5065	44.19	554	46.05
1 day	1559	13.60	152	12.64
2 days	1206	10.52	119	9.89
3 days	841	7.34	91	7.56
4 days	799	6.97	72	5.99
5 days	743	6.48	96	7.98
6 days	361	3.15	35	2.91
7 days	888	7.75	84	6.98
Total	11462	100.00	1203	100.00

Note that there were missing values of number of days participated in organized after school, evening or weekend activities in the last 7 days for 1383 cases among OHYES! participants and 180 cases among county participants.

2. Family and Peer Factors

My parents talk to me about what I do in school.

Table 13: Level of agreement that parents talk to them about what they do in school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	683	5.87	99	8.11
Disagree	890	7.65	91	7.45
Neutral	2503	21.52	284	23.26
Agree	4735	40.70	495	40.54
Strongly agree	2822	24.26	252	20.64
Total	11633	100.00	1221	100.00

Note that there were missing values of level of agreement that parents talk to them about what they do in school for 1212 cases among OHYES! participants and 162 cases among county participants.

My parents push me to work hard at school.

Table 14: Level of agreement that parents push them to work harder at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	328	2.83	52	4.29
Disagree	347	3.00	37	3.05
Neutral	1711	14.77	197	16.24
Agree	4034	34.83	421	34.71
Strongly agree	5162	44.57	506	41.71
Total	11582	100.00	1213	100.00

Note that there were missing values of level of agreement that parents push them to work harder at school for 1263 cases among OHYES! participants and 170 cases among county participants.

During the past 12 months, how often did your parents check on whether you had done your homework?

Table 15: Frequency that parents check homework

Response	OHYES!		County	
	n	%	n	%
Never or almost never	2638	22.70	317	26.05
Sometimes	2666	22.94	323	26.54
Often	2432	20.93	239	19.64
All the time	3885	33.43	338	27.77
Total	11621	100.00	1217	100.00

Note that there were missing values of frequency that parents check homework for 1224 cases among OHYES! participants and 166 cases among county participants.

During the past 12 months, how often did your parents limit the amount of time you watched TV or time with your friends on school nights?

Table 16: Frequency parents limit the amount of time watching TV or with friends on school nights

Response	OHYES!		County	
	n	%	n	%
Never or almost never	5538	48.38	628	52.29
Sometimes	3294	28.78	317	26.39
Often	1511	13.20	148	12.32
All the time	1104	9.64	108	8.99
Total	11447	100.00	1201	100.00

Note that there were missing values of frequency parents limit the amount of time watching TV or with friends on school nights for 1398 cases among OHYES! participants and 182 cases among county participants.

What best describes your parent’s rules about social media in your bedroom (T.V., internet, cell phone, computer, video games, iPod, etc.)?

Table 17: Parents rules about media in bedroom

Response	OHYES!		County	
	n	%	n	%
My parents don’t have any rules	6790	59.61	731	61.07
My parents have rules of when I have to turn off media in my bedroom	3712	32.59	373	31.16
My parents don’t let me have any media in my bedroom	889	7.80	93	7.77
Total	11391	100.00	1197	100.00

Note that there were missing values of frequency parents rules about media in bedroom for 1454 cases among OHYES! participants and 186 cases among county participants.

3. Safety and Violence

I feel safe in my neighborhood (town, community).

Table 18: Feel safe in neighborhood

Response	OHYES!		County	
	n	%	n	%
No	1309	10.25	171	12.42
Yes	11459	89.75	1206	87.58
Total	12768	100.00	1377	100.00

Note that there were missing values of feel safe in neighborhood for 77 cases among OHYES! participants and 6 cases among county participants.

Adverse Childhood Experiences (ACEs) are categorized into two groups on the OHYES! ACE module: abuse and family/household challenges. Each category is further divided into multiple subcategories. ACEs are associated with violence victimization and perpetration, and health and opportunity across the lifespan. As the number of ACEs increase, so does the risk for negative outcomes.

Adverse Childhood Experiences (ACEs) by category.

Table 19: Adverse Childhood Experiences (ACEs) by category

	OHYES!			County		
	Yes	Respondents	%	Yes	Respondents	%
Abuse						
Physical Abuse	902	12388	7.28	108	1335	8.09
Emotional Abuse	3564	12388	28.77	372	1335	27.87
Sexual Abuse	200	3480	5.75	11	175	6.29
Household Challenges						
Witnessed Domestic Violence	1081	12388	8.73	132	1335	9.89
Household Mental Illness	3293	12464	26.42	386	1338	28.85
Household Substance Abuse	3076	12464	24.68	367	1338	27.43
Parental Separation or Divorce	5169	12388	41.73	596	1335	44.64
Incarcerated Household Members	2016	12464	16.17	257	1338	19.21

Note that the number of missing values varies by ACE subcategory. Under some conditions you may not see a row for Sexual Abuse in the table. This is because these items only appear on the optional version of the survey instrument, and so either the participating school(s) did not complete that module or because students did not respond to the Sexual Abuse questions.

Number of Adverse Childhood Experiences

Table 20: Number of Adverse Childhood Experiences

Response	OHYES!		County	
	n	%	n	%
0	4774	37.95	512	37.98
1	3036	24.13	273	20.25
2	1738	13.81	204	15.13
3	1161	9.23	119	8.83
4 or more	1872	14.88	240	17.80
Total	12581	100.00	1348	100.00

Note that there were missing values of number of adverse childhood experiences for 264 cases among OHYES! participants and 35 cases among county participants.

4. School Climate and Safety

In the past year, how often did you feel safe and secure at school?

Table 21: How often feel safe at school last year

Response	OHYES!		County	
	n	%	n	%
Never	332	2.59	49	3.55
Rarely	455	3.55	61	4.42
Sometimes	1605	12.53	194	14.07
Most of the time	6128	47.85	671	48.66
All of the time	4286	33.47	404	29.30
Total	12806	100.00	1379	100.00

Note that there were missing values of how often students felt safe and secure at school for 39 cases among OHYES! participants and 4 cases among county participants.

During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

Table 22: Number of days did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school

Response	OHYES!		County	
	n	%	n	%
0 days	11572	90.57	1196	86.92
1 day	634	4.96	86	6.25
2 or 3 days	373	2.92	52	3.78
4 or 5 days	89	0.70	15	1.09
6 or more days	109	0.85	27	1.96
Total	12777	100.00	1376	100.00

Note that there were missing values of number of days students did not go to school during the past 30 days because of feeling unsafe at school or on the way to or from school for 68 cases among OHYES! participants and 7 cases among county participants.

During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

Table 23: Number of times threatened by someone with a weapon on school property last year

Response	OHYES!		County	
	n	%	n	%
0 times	11493	90.73	1190	87.24
1 time	679	5.36	87	6.38
2 or 3 times	332	2.62	58	4.25
4 or 5 times	51	0.40	6	0.44
6 or more times	112	0.88	23	1.69
Total	12667	100.00	1364	100.00

Note that there were missing values of times students were threatened by someone with a weapon on school property last year for 178 cases among OHYES! participants and 19 cases among county participants.

What types of bullying have you experienced in the past 12 months? Note: Respondents could select all that apply.

Table 24: What types of bullying have you experienced in the past 12 months?

	OHYES!		County	
	Yes	%	Yes	%
Hit, kicked, punched, or people took belongings	1116	8.82	143	10.47
Teased, taunted, or called harmful names	3388	26.78	364	26.65
Spread mean rumors about or kept out of a group	2969	23.47	329	24.08
Teased, taunted, or threatened by e-mail, cell phone, or other electronic methods	1009	7.98	143	10.47
Nude or semi-nude pictures used to pressure someone to have sex that does not want to, blackmail, intimidate, or exploit another person	359	2.84	49	3.59
None of the above	8023	63.41	864	63.25

Note that there were missing values of types of bullying experienced for 193 cases among OHYES! participants and 17 cases among county participants. Denominators for percentages are based on 12652 available cases among OHYES! participants and 1366 available cases among county participants.

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been bullied on school property?

Table 25: Bullied on school property last year

Response	OHYES!		County	
	n	%	n	%
No	1693	36.72	147	29.40
Yes	2917	63.28	353	70.60
Total	4610	100.00	500	100.00

Note that there were missing values of bullied on school property last year for 19 cases among OHYES! participants and 2 cases among county participants.

Among those who have experienced bullying in the past 12 months: During the past 12 months, have you ever been electronically bullied?

Table 26: Electronically bullied last year

Response	OHYES!		County	
	n	%	n	%
No	2845	61.81	272	54.18
Yes	1758	38.19	230	45.82
Total	4603	100.00	502	100.00

Note that there were missing values of electronically bullied last year for 26 cases among OHYES! participants and 0 cases among county participants.

During the past 12 months, how many times were you in a physical fight?

Table 27: Number of times in a physical fight last year

Response	OHYES!		County	
	n	%	n	%
0 times	10422	81.82	1129	82.35
1 time	1341	10.53	126	9.19
2 to 5 times	708	5.56	81	5.91
6 or more times	266	2.09	35	2.55
Total	12737	100.00	1371	100.00

Note that there were missing values of number of times in a physical fight last year for 108 cases among OHYES! participants and 12 cases among county participants.

Among those who were in a physical fight in the past 12 months: During the past 12 months, how many times were you in a physical fight on school property?

Table 28: Number of times in a physical fight on school property during the past year

Response	OHYES!		County	
	n	%	n	%
0 times	1303	57.30	116	48.74
1 time	716	31.49	82	34.45
2 to 5 times	196	8.62	32	13.45
6 or more times	59	2.59	8	3.36
Total	2274	100.00	238	100.00

Note that there were missing values of number of times in a physical fight on school property during the past year for 41 cases among OHYES! participants and 4 cases among county participants.

5. School Connectedness and Success

During the past 12 months, how would you describe your grades in school?

Table 29: Academic performance last year

Response	OHYES!		County	
	n	%	n	%
Mostly A's	5882	45.95	541	39.20
Mostly B's	4184	32.68	450	32.61
Mostly C's	1484	11.59	224	16.23
Mostly D's	310	2.42	50	3.62
Mostly F's	137	1.07	40	2.90
None of these grades	58	0.45	7	0.51
Not sure	747	5.84	68	4.93
Total	12802	100.00	1380	100.00

Note that there were missing values of academic performance last year for 43 cases among OHYES! participants and 3 cases among county participants.

I enjoy coming to school.

Table 30: Level of enjoyment in coming to school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	1807	15.47	228	18.63
Disagree	1655	14.17	168	13.73
Neutral	4746	40.63	486	39.71
Agree	2746	23.51	273	22.30
Strongly agree	726	6.22	69	5.64
Total	11680	100.00	1224	100.00

Note that there were missing values of level of enjoyment in coming to school for 1165 cases among OHYES! participants and 159 cases among county participants.

I feel like I belong at my school.

Table 31: Level of belonging at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	1232	10.58	154	12.64
Disagree	1301	11.18	134	11.00
Neutral	3760	32.30	407	33.42
Agree	3992	34.30	385	31.61
Strongly agree	1355	11.64	138	11.33
Total	11640	100.00	1218	100.00

Note that there were missing values of level of belonging at school for 1205 cases among OHYES! participants and 165 cases among county participants.

I can go to adults at my school for help if I needed it.

Table 32: Level of support from adults at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	1030	8.84	121	9.89
Disagree	1331	11.43	127	10.38
Neutral	2862	24.57	328	26.82
Agree	4163	35.74	433	35.40
Strongly agree	2263	19.43	214	17.50
Total	11649	100.00	1223	100.00

Note that there were missing values of level of support from adults at school for 1196 cases among OHYES! participants and 160 cases among county participants.

My school provides various opportunities to learn about and appreciate different cultures and ways of life.

Table 33: Level of cultural opportunities available at school

Response	OHYES!		County	
	n	%	n	%
Strongly disagree	952	8.20	117	9.58
Disagree	1401	12.07	144	11.79
Neutral	3646	31.41	429	35.14
Agree	4004	34.49	385	31.53
Strongly agree	1606	13.83	146	11.96
Total	11609	100.00	1221	100.00

Note that there were missing values of level of cultural opportunities available at school for 1236 cases among OHYES! participants and 162 cases among county participants.

6. Prevention Message

During the past 12 months, do you recall hearing, reading, or watching an advertisement about the prevention of substance use?

Table 34: Hearing, reading, or watching an advertisement about substance use prevention last year

Response	OHYES!		County	
	n	%	n	%
No	3490	28.52	376	28.75
Yes	8746	71.48	932	71.25
Total	12236	100.00	1308	100.00

Note that there were missing values of hearing, reading, or watching an advertisement about substance use prevention last year for 609 cases among OHYES! participants and 75 cases among county participants.

During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use? By parents, we mean either your biological parents, adoptive parents, stepparents, or adult guardians, whether or not they live with you?

Table 35: Parents have discussed the dangers of substance use with you within the last year

Response	OHYES!		County	
	n	%	n	%
No	5368	43.94	604	46.35
Yes	6848	56.06	699	53.65
Total	12216	100.00	1303	100.00

Note that there were missing values of parents have discussed the dangers of substance use with you within the last year for 629 cases among OHYES! participants and 80 cases among county participants.

7. Vehicle Safety

During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

Table 36: Number of times in past 30 days rode in a car driven by someone who had been drinking

Response	OHYES!		County	
	n	%	n	%
0 times	11368	89.16	1212	88.34
1 time	641	5.03	58	4.23
2 or 3 times	447	3.51	59	4.30
4 or 5 times	92	0.72	14	1.02
6 or more times	202	1.58	29	2.11
Total	12750	100.00	1372	100.00

Note that there were missing values of number of times in past 30 days rode in a car driven by someone who had been drinking for 95 cases among OHYES! participants and 11 cases among county participants.

During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

Table 37: Number of times in past 30 days drove a car when drinking

Response	OHYES!		County	
	n	%	n	%
I did not drive a car or other vehicle during the past 30 days	6227	49.19	643	47.28
0 times	6232	49.23	697	51.25
1 time	93	0.73	10	0.74
2 or 3 times	57	0.45	2	0.15
4 or 5 times	20	0.16	3	0.22
6 or more times	29	0.23	5	0.37
Total	12658	100.00	1360	100.00

Note that there were missing values of number of times in past 30 days drove a car when drinking for 187 cases among OHYES! participants and 23 cases among county participants.

Among those reporting they did drive a car or other vehicle in the past 30 days: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

Table 38: Texted or emailed while driving

Response	OHYES!		County	
	n	%	n	%
0 days	4371	74.79	511	77.42
1 or 2 days	491	8.40	40	6.06
3 to 5 days	226	3.87	21	3.18
6 to 9 days	136	2.33	10	1.52
10 to 19 days	174	2.98	18	2.73
20 to 29 days	114	1.95	10	1.52
All 30 days	332	5.68	50	7.58
Total	5844	100.00	660	100.00

Note that there were missing values of texted or emailed while driving for 587 cases among OHYES! participants and 57 cases among county participants.

C. Health and Well-being

1. Body Mass Index and Physical Activity

Body Mass Index – Calculated from the respondent’s reported weight, height, and gender

Table 39: Body Mass Index

Response	OHYES!		County	
	n	%	n	%
Underweight (Less than 5%)	350	2.96	32	2.47
Normal or Healthy Weight (5% to 84%)	7343	62.09	696	53.62
Overweight (85% to 94%)	2040	17.25	263	20.26
Obese (95% and above)	2093	17.70	307	23.65
Total	11826	100.00	1298	100.00

Note that there were missing values of body mass index for 1019 cases among OHYES! participants and 85 cases among county participants. Body Mass Index was not calculated for respondents selecting transgender or gender nonconforming.

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

Table 40: Number of days of physical activity of 60 plus minutes per day in the last week

Response	OHYES!		County	
	n	%	n	%
0 days	1410	11.89	168	13.45
1 day	594	5.01	69	5.52
2 days	961	8.10	104	8.33
3 days	1137	9.59	117	9.37
4 days	1474	12.43	155	12.41
5 days	1824	15.38	192	15.37
6 days	1129	9.52	113	9.05
7 days	3333	28.10	331	26.50
Total	11862	100.00	1249	100.00

Note that there were missing values of number of days of physical activity of 60 plus minutes per day in the last week for 983 cases among OHYES! participants and 134 cases among county participants.

Which of the following are you trying to do about your weight?

Table 41: Efforts to change weight

Response	OHYES!		County	
	n	%	n	%
Lose weight	5395	45.47	615	49.24
Gain weight	1578	13.30	165	13.21
Stay the same weight	1973	16.63	209	16.73
I am not trying to do anything about my weight	2919	24.60	260	20.82
Total	11865	100.00	1249	100.00

Note that there were missing values of efforts to change weight for 980 cases among OHYES! participants and 134 cases among county participants.

On an average school day, how many hours do you watch TV?

Table 42: Number of hours of TV watched on an average school day

Response	OHYES!		County	
	n	%	n	%
I do not watch TV on an average school day	2941	24.78	284	22.83
Less than 1 hour per day	2614	22.02	243	19.53
1 hour per day	1981	16.69	206	16.56
2 hours per day	2153	18.14	243	19.53
3 hours per day	1151	9.70	133	10.69
4 hours per day	433	3.65	58	4.66
5 or more hours per day	597	5.03	77	6.19
Total	11870	100.00	1244	100.00

Note that there were missing values of number of hours of TV watched on an average school day for 975 cases among OHYES! participants and 139 cases among county participants.

On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?

Table 43: Number of hours playing video or computer games or using a computer for something that is not school work on an average school day

Response	OHYES!		County	
	n	%	n	%
I do not play video or computer games or use a computer for something that is not school work	1782	15.08	209	16.84
Less than 1 hour per day	1458	12.34	156	12.57
1 hour per day	1295	10.96	132	10.64
2 hours per day	2045	17.30	200	16.12
3 hours per day	1761	14.90	181	14.59
4 hours per day	1215	10.28	114	9.19
5 or more hours per day	2263	19.15	249	20.06
Total	11819	100.00	1241	100.00

Note that there were missing values of number of hours played video or computer games or used a computer for something that is not school work on an average school day for 1026 cases among OHYES! participants and 142 cases among county participants.

2. Nutrition

On average how many servings of fruits and vegetables do you have per day?

Table 44: Number of servings of fruits and vegetables eaten on an average day

Response	OHYES!		County	
	n	%	n	%
1 to 4 servings per day	9126	77.48	963	77.66
5 or more servings per day	1404	11.92	136	10.97
0 - I do not like fruits or vegetables	779	6.61	72	5.81
0 - I cannot afford fruits or vegetables	163	1.38	29	2.34
0 - I do not have access to fruits or vegetables	306	2.60	40	3.23
Total	11778	100.00	1240	100.00

Note that there were missing values of number of servings of fruits and vegetables eaten on an average day for 1067 cases among OHYES! participants and 143 cases among county participants.

During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?

Table 45: Number of times drank soda or pop in the last week

Response	OHYES!		County	
	n	%	n	%
I did not drink soda or pop during the past 7 days	3686	31.40	345	28.07
1 to 3 times during the past 7 days	4630	39.44	474	38.57
4 to 6 times during the past 7 days	1220	10.39	161	13.10
1 time per day	828	7.05	87	7.08
2 times per day	648	5.52	78	6.35
3 times per day	275	2.34	25	2.03
4 or more times per day	451	3.84	59	4.80
Total	11738	100.00	1229	100.00

Note that there were missing values of number of times drank soda or pop in the last week for 1107 cases among OHYES! participants and 154 cases among county participants.

During the past 7 days, on how many days did you eat breakfast?

Table 46: Number of days ate breakfast during the last week

Response	OHYES!		County	
	n	%	n	%
0 days	1942	16.50	178	14.48
1 day	949	8.06	95	7.73
2 days	1282	10.89	135	10.98
3 days	963	8.18	119	9.68
4 days	1025	8.71	141	11.47
5 days	1034	8.78	125	10.17
6 days	731	6.21	69	5.61
7 days	3846	32.67	367	29.86
Total	11772	100.00	1229	100.00

Note that there were missing values of number of days ate breakfast during the last week for 1073 cases among OHYES! participants and 154 cases among county participants.

3. Wellness Visit

When was the last time you saw a doctor or a nurse for a check-up when you were not sick or injured?

Table 47: Recency of visiting doctor or a nurse for a check-up when you were not sick or injured

Response	OHYES!		County	
	n	%	n	%
During the past 12 months	6649	56.79	555	45.31
Between 12 and 24 months	1187	10.14	141	11.51
More than 24 months	459	3.92	59	4.82
Never	960	8.20	156	12.73
Not sure	2454	20.96	314	25.63
Total	11709	100.00	1225	100.00

Note that there were missing values of recency of visiting doctor or a nurse for a check-up when you were not sick or injured for 1136 cases among OHYES! participants and 158 cases among county participants.

When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

Table 48: Recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work

Response	OHYES!		County	
	n	%	n	%
During the past 12 months	8145	69.75	776	63.55
Between 12 and 24 months	1242	10.64	126	10.32
More than 24 months	552	4.73	76	6.22
Never	338	2.89	71	5.81
Not sure	1401	12.00	172	14.09
Total	11678	100.00	1221	100.00

Note that there were missing values of recency of last visit to dentist for a check-up, exam, teeth cleaning, or other dental work for 1167 cases among OHYES! participants and 162 cases among county participants.

4. Concussion

During the past 12 months, did you suffer a blow or jolt to your head while playing with a sports team (either during a game or during practice) which caused you to get knocked out, have memory problems, double or blurry vision, headaches or pressure in the head, or nausea or vomiting?

Table 49: Suffered a head injury while playing with a sports team in the last year

Response	OHYES!		County	
	n	%	n	%
No	10077	86.33	1075	87.76
Yes	1596	13.67	150	12.24
Total	11673	100.00	1225	100.00

Note that there were missing values of suffered a head injury while playing with a sports team in the last year for 1172 cases among OHYES! participants and 158 cases among county participants.

5. Tanning

During the past 12 months, how many times did you use an indoor tanning device such as sunlamp, sunbed or tanning booth?

Table 50: Number of times used an indoor tanning device in the last 12 months

Response	OHYES!		County	
	n	%	n	%
0 times	10830	93.03	1075	88.04
1 time	212	1.82	29	2.38
2 to 5 times	255	2.19	25	2.05
6 or more times	344	2.96	92	7.53
Total	11641	100.00	1221	100.00

Note that there were missing values of number of times used an indoor tanning device in the last 12 months for 1204 cases among OHYES! participants and 162 cases among county participants.

6. Sleep

On an average school night, how many hours of sleep do you get?

Table 51: Number of hours of sleep on average school night

Response	OHYES!		County	
	n	%	n	%
4 hours or less	1165	9.15	167	12.20
5 hours	1515	11.90	167	12.20
6 hours	2594	20.38	290	21.18
7 hours	3359	26.39	335	24.47
8 hours	2796	21.97	285	20.82
9 hours	967	7.60	86	6.28
10 or more hours	332	2.61	39	2.85
Total	12728	100.00	1369	100.00

Note that there were missing values of number of hours of sleep on average school night for 117 cases among OHYES! participants and 14 cases among county participants.

D. Mental Health

1. Patient Health Questionnaire for Psychological Distress

Subscales are used to assess anxiety and depression. Participants answer two questions on anxiety and two questions on depression with responses that range from “Not at all” to “Nearly every day.” To create the subscales, each response is given a numerical value and the participant’s responses for the two questions are summed up (score range, 0 to 6). A score of three or greater is considered positive for screening purposes.

Responses from the two questions on anxiety and the two questions on depression are assigned values and combined for each participant (score range, 0 to 12). A score of 6 or greater is considered positive for screening purposes.

Table 52: Patient Health Questionnaire for Psychological Distress (PHQ-4)

Response	OHYES!		County	
	n	%	n	%
% with anxiety issues warranting further exploration by a mental health professional*	3626	28.50	345	25.20
% with depression issues warranting further exploration by a mental health professional*	2630	20.73	300	21.99
% with mental health issues warranting further exploration by a mental health professional*	2867	22.32	286	20.68

Note: *These cutoffs are based on published thresholds for the 95th percentile for the population on the PHQ-4, where survey items primarily assess depression and anxiety. These measures serve as a brief screening tool, as opposed to a comprehensive measure of mental health issues.

2. Suicide

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

Table 53: In the past year felt sad or hopeless almost every day for two weeks or more in a row

Response	OHYES!		County	
	n	%	n	%
No	9018	72.22	963	71.81
Yes	3469	27.78	378	28.19
Total	12487	100.00	1341	100.00

Note that there were missing values of felt sad or hopeless almost every day for two weeks or more in a row in the past year for 358 cases among OHYES! participants and 42 cases among county participants.

During the past 12 months, did you ever seriously consider attempting suicide?

Table 54: During the past year seriously considered attempting suicide

Response	OHYES!		County	
	n	%	n	%
No	2941	83.93	140	81.40
Yes	563	16.07	32	18.60
Total	3504	100.00	172	100.00

Note that there were missing values of considered attempting suicide for 9341 cases among OHYES! participants and 1211 cases among county participants. This item only appears on the optional version of the survey instrument.

Among those who have seriously considered attempting suicide in the past 12 months: During the past 12 months, how many times did you actually attempt suicide?

Table 55: Number of times attempted suicide during the past year

Response	OHYES!		County	
	n	%	n	%
0 times	315	56.86	16	51.61
1 time	120	21.66	5	16.13
2 or 3 times	85	15.34	9	29.03
4 or 5 times	19	3.43	0	0.00
6 or more times	15	2.71	1	3.23
Total	554	100.00	31	100.00

Note that there were missing values of suicide attempts for 9 cases among OHYES! participants and 1 cases among county participants. This item only appears on the optional version of the survey instrument.

Among those who attempted suicide in the past 12 months: If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?

Table 56: Attempted suicide that resulted in injury, poisoning, or overdose that had to be treated

Response	OHYES!		County	
	n	%	n	%
No	166	74.11	11	78.57
Yes	58	25.89	3	21.43
Total	224	100.00	14	100.00

Note that there were missing values of attempted suicide that resulted in injury, poisoning, or overdose that had to be treated for 15 cases among OHYES! participants and 1 cases among county participants. This item only appears on the optional version of the survey instrument.

3. Coping Strategies

When you are stressed out, how do you manage it? Note: Respondents could select all that apply.

Table 57: When you are stressed out, how do you manage it?

	OHYES!		County	
	Yes	%	Yes	%
I do not have any stress	1673	13.43	231	17.19
Manage stress through physical activity	6123	49.15	610	45.39
Manage stress through meditation, prayer, or relaxation	2461	19.75	217	16.15
Manage stress by participating in hobbies or community service	3004	24.11	311	23.14
Manage stress through creative expression	3965	31.83	450	33.48
Manage stress with support from others	3560	28.58	341	25.37
Manage stress by avoiding people who create drama	5536	44.44	554	41.22
Manage stress by limiting social media	1979	15.89	207	15.40

Note that there were missing values of how stress is managed for 387 cases among OHYES! participants and 39 cases among county participants. Denominators for percentages are based on 12458 available cases among OHYES! participants and 1344 available cases among county participants.

When was the last time you saw a doctor, nurse, therapist, social worker, or counselor for a mental health problem?

Table 58: Last time saw a health care provider for a mental health problem

Response	OHYES!		County	
	n	%	n	%
During the past 12 months	3822	30.33	411	30.40
Between 12 and 24 months	624	4.95	76	5.62
More than 24 months	527	4.18	49	3.62
Never	5668	44.98	588	43.49
Not sure	1959	15.55	228	16.86
Total	12600	100.00	1352	100.00

Note that there were missing values of last time students saw a health care provider for a mental health problem for 245 cases among OHYES! participants and 31 cases among county participants.

E. Substance Use

1. Alcohol

How old were you when you had your first drink of alcohol other than a few sips?

Table 59: Age when first drank more than few sips of alcohol

Response	OHYES!		County	
	n	%	n	%
I have never had a drink of alcohol other than a few sips	7958	65.63	842	64.23
8 years old or younger	496	4.09	65	4.96
9 or 10 years old	391	3.22	41	3.13
11 or 12 years old	662	5.46	77	5.87
13 or 14 years old	1236	10.19	127	9.69
15 or 16 years old	1214	10.01	130	9.92
17 years old or older	168	1.39	29	2.21
Total	12125	100.00	1311	100.00

Note that there were missing values of age first drank alcohol for 720 cases among OHYES! participants and 72 cases among county participants.

Among those who have drunk alcohol: How old were you when you had your first drink of alcohol other than a few sips

Table 60: Age when first drank more than few sips of alcohol

Response	OHYES!		County	
	n	%	n	%
8 years old or younger	496	11.90	65	13.86
9 or 10 years old	391	9.38	41	8.74
11 or 12 years old	662	15.89	77	16.42
13 or 14 years old	1236	29.66	127	27.08
15 or 16 years old	1214	29.13	130	27.72
17 years old or older	168	4.03	29	6.18
Total	4167	100.00	469	100.00

Note that there were missing values of age first drank alcohol for 0 cases among OHYES! participants and 0 cases among county participants.

During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 61: Consumed alcohol on one or more occasions during the past 30 days

Response	OHYES!		County	
	n	%	n	%
I have never had a drink of alcohol other than a few sips	7958	65.72	842	64.27
No	2613	21.58	283	21.60
Yes	1538	12.70	185	14.12
Total	12109	100.00	1310	100.00

Note that there were missing values of consumed alcohol on one or more occasions during the past 30 days for 736 cases among OHYES! participants and 73 cases among county participants.

Among those who have ever consumed alcohol: During the past 30 days, did you drink one or more drinks of an alcoholic beverage?

Table 62: Consumed alcohol on one or more occasions during the past 30 days

Response	OHYES!		County	
	n	%	n	%
No	2613	62.95	283	60.47
Yes	1538	37.05	185	39.53
Total	4151	100.00	468	100.00

Note that there were missing values of consumed alcohol on one or more occasions during the past 30 days for 16 cases among OHYES! participants and 1 cases among county participants.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have at least one drink of alcohol?

Table 63: Number of days consumed at least one drink of alcohol

Response	OHYES!		County	
	n	%	n	%
1 or 2 days	716	58.98	72	54.96
3 to 5 days	280	23.06	20	15.27
6 to 9 days	110	9.06	13	9.92
10 to 19 days	71	5.85	13	9.92
20 to 29 days	19	1.57	7	5.34
All 30 days	18	1.48	6	4.58
Total	1214	100.00	131	100.00

Note that there were missing values of number of days consumed at least one drink of alcohol for 324 cases among OHYES! participants and 54 cases among county participants.

Among those who have consumed alcohol in the past 30 days: During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

Table 64: Number of days with 5 or more drinks of alcohol within a couple of hours

Response	OHYES!		County	
	n	%	n	%
0 days	734	55.52	67	45.27
1 day	339	25.64	45	30.41
2 days	139	10.51	14	9.46
3 to 5 days	64	4.84	9	6.08
6 to 9 days	29	2.19	7	4.73
10 to 19 days	6	0.45	3	2.03
20 or more days	11	0.83	3	2.03
Total	1322	100.00	148	100.00

Note that there were missing values of number of days with 5 or more drinks of alcohol within a couple of hours for 216 cases among OHYES! participants and 37 cases among county participants.

**Among those who have consumed alcohol in the past 30 days: During the past 30 days, how did you usually get your alcohol?
 Note: Respondents could select all that apply.**

Table 65: During the past 30 days, how did you usually get your alcohol

	OHYES!		County	
	Yes	%	Yes	%
Bought alcohol in a store	91	6.10	6	3.31
Bought alcohol at a public event	36	2.41	7	3.87
Gave someone else money to buy alcohol for me	328	22.00	43	23.76
Someone gave alcohol to me	625	41.92	63	34.81
Took alcohol from a store or family member	183	12.27	24	13.26
Parent gave alcohol to me	333	22.33	31	17.13
Friend's parent gave alcohol to me	151	10.13	17	9.39
I got alcohol some other way	396	26.56	53	29.28

Note that there were missing values of during the past 30 days, how did you usually get your alcohol for 47 cases among OHYES! participants and 4 cases among county participants. Denominators for percentages are based on 1491 available cases among OHYES! participants and 181 available cases among county participants.

Among those who have consumed alcohol in the past 30 days: When do you usually drink alcohol?

Table 66: Time of day when usually drink

Response	OHYES!		County	
	n	%	n	%
Before school	21	1.59	8	5.33
During school	10	0.76	3	2.00
After school	63	4.77	7	4.67
Week nights	59	4.47	13	8.67
Weekends	1168	88.42	119	79.33
Total	1321	100.00	150	100.00

Note that there were missing values of time of day when usually drink for 217 cases among OHYES! participants and 35 cases among county participants.

How much do you think people risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week?

Table 67: Risk of harm from having five or more drinks of an alcoholic beverage once or twice a week

Response	OHYES!		County	
	n	%	n	%
No risk	1466	12.08	228	17.62
Slight risk	2703	22.27	281	21.72
Moderate risk	4495	37.03	444	34.31
Great risk	3475	28.63	341	26.35
Total	12139	100.00	1294	100.00

Note that there were missing values of risk harming themselves physically or in other ways when they have five or more drinks of an alcoholic beverage once or twice a week for 706 cases among OHYES! participants and 89 cases among county participants

How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Table 68: How wrong parents would feel it is for you to have one or two drinks of an alcoholic beverage nearly every day

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	605	5.03	97	7.61
A little bit wrong	888	7.38	112	8.79
Wrong	2374	19.73	265	20.80
Very wrong	8166	67.86	800	62.79
Total	12033	100.00	1274	100.00

Note that there were missing values of how wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day for 812 cases among OHYES! participants and 109 cases among county participants

How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

Table 69: How wrong friends would feel it is for you to have one or two drinks of an alcoholic beverage nearly every day

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	1468	12.27	196	15.56
A little bit wrong	2163	18.08	240	19.05
Wrong	3669	30.67	374	29.68
Very wrong	4661	38.97	450	35.71
Total	11961	100.00	1260	100.00

Note that there were missing values of how wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day for 884 cases among OHYES! participants and 123 cases among county participants.

How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

Table 70: How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day

Response	OHYES!		County	
	n	%	n	%
Neither approve nor disapprove	1951	16.41	269	21.57
Somewhat disapprove	2522	21.21	261	20.93
Strongly disapprove	7417	62.38	717	57.50
Total	11890	100.00	1247	100.00

Note that there were missing values of how do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day for 955 cases among OHYES! participants and 136 cases among county participants.

2. Tobacco and Vapor Products

During the past 30 days, did you smoke part or all of a cigarette?

Table 71: Smoked part or all of a cigarette in the past 30 days

Response	OHYES!		County	
	n	%	n	%
No	11756	94.02	1227	91.91
Yes	748	5.98	108	8.09
Total	12504	100.00	1335	100.00

Note that there were missing values of smoke part or all of a cigarette in 30 days for 341 cases among OHYES! participants and 48 cases among county participants.

Among those who smoked all or part of a cigarette in the past 30 days: During the past 30 days, on how many days did you smoke cigarettes?

Table 72: Number of days smoked cigarettes in the past 30 days

Response	OHYES!		County	
	n	%	n	%
1 or 2 days	286	43.01	36	40.00
3 to 5 days	90	13.53	11	12.22
6 to 9 days	63	9.47	11	12.22
10 to 19 days	64	9.62	5	5.56
20 to 29 days	32	4.81	10	11.11
All 30 days	130	19.55	17	18.89
Total	665	100.00	90	100.00

Note that there were missing values of number of days smoked cigarettes in past 30 days for 83 cases among OHYES! participants and 18 cases among county participants.

Among those who smoked all or part of a cigarette in the past 30 days: During the past 30 days, how did you usually get your own cigarettes? Note: Respondents could select all that apply.

Table 73: How cigarettes were obtained in the past 30 days

	OHYES!		County	
	Yes	%	Yes	%
Bought them in a store such as a convenience store, supermarket, discount re, or gas station	104	14.33	14	13.73
Got cigarettes from the Internet	17	2.34	3	2.94
Bought cigarettes from vending machine	12	1.65	4	3.92
Gave someone else money to buy cigarettes	182	25.07	17	16.67
Borrowed (bummed) cigarettes from someone else	307	42.29	40	39.22
A person 18 years old or older gave them to me	207	28.51	20	19.61
Took cigarettes from a store	12	1.65	0	0.00
Took cigarettes from family member	169	23.28	21	20.59
Got cigarettes some other way	136	18.73	18	17.65

Note that there were missing values of how cigarettes were obtained in the past 30 days for 22 cases among OHYES! participants and 6 cases among county participants. Denominators for percentages are based on 726 available cases among OHYES! participants and 102 available cases among county participants.

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal Bandits, or Copenhagen?

Table 74: Number of days used chewing tobacco, snuff, or dip in the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	11916	95.64	1277	96.16
1 or 2 days	191	1.53	19	1.43
3 to 5 days	56	0.45	6	0.45
6 to 9 days	45	0.36	4	0.30
10 to 19 days	53	0.43	4	0.30
20 to 29 days	28	0.22	3	0.23
All 30 days	170	1.36	15	1.13
Total	12459	100.00	1328	100.00

Note that there were missing values of number of days used chewing tobacco, snuff, or dip in the past 30 days for 386 cases among OHYES! participants and 55 cases among county participants.

During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

Table 75: Number of days smoked cigars, cigarillos, or little cigars in the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	11950	96.05	1267	95.48
1 or 2 days	250	2.01	29	2.19
3 to 5 days	75	0.60	7	0.53
6 to 9 days	52	0.42	6	0.45
10 to 19 days	39	0.31	4	0.30
20 to 29 days	14	0.11	1	0.08
All 30 days	61	0.49	13	0.98
Total	12441	100.00	1327	100.00

Note that there were missing values of number of days smoked cigars, cigarillos, or little cigars in the past 30 days for 404 cases among OHYES! participants and 56 cases among county participants.

During the past 30 days, on how many days did you use an electronic vapor product?

Table 76: Number of days used an electronic vapor product in the past 30 days

Response	OHYES!		County	
	n	%	n	%
0 days	10459	84.33	1087	82.41
1 or 2 days	746	6.01	68	5.16
3 to 5 days	314	2.53	44	3.34
6 to 9 days	200	1.61	27	2.05
10 to 19 days	189	1.52	21	1.59
20 to 29 days	148	1.19	14	1.06
All 30 days	347	2.80	58	4.40
Total	12403	100.00	1319	100.00

Note that there were missing values of number of days used an electronic vapor product in the past 30 days for 442 cases among OHYES! participants and 64 cases among county participants.

How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

Table 77: Perceived risk tobacco use one or more packs daily

Response	OHYES!		County	
	n	%	n	%
No risk	1304	10.82	191	14.92
Slight risk	1487	12.34	182	14.22
Moderate risk	2821	23.41	309	24.14
Great risk	6436	53.42	598	46.72
Total	12048	100.00	1280	100.00

Note that there were missing values of perceived risk tobacco use one or more packs daily for 797 cases among OHYES! participants and 103 cases among county participants.

How wrong do your parents feel it would be for you to smoke tobacco?

Table 78: Perception of parental disapproval for smoking tobacco

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	417	3.46	73	5.74
A little bit wrong	543	4.51	66	5.19
Wrong	1758	14.61	194	15.26
Very wrong	9317	77.42	938	73.80
Total	12035	100.00	1271	100.00

Note that there were missing values of perception of parental disapproval for smoking tobacco for 810 cases among OHYES! participants and 112 cases among county participants.

How wrong do your friends feel it would be for you to smoke tobacco?

Table 79: Perception of peer disapproval for smoking tobacco

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	1333	11.16	167	13.31
A little bit wrong	1649	13.80	178	14.18
Wrong	3370	28.21	364	29.00
Very wrong	5596	46.84	546	43.51
Total	11948	100.00	1255	100.00

Note that there were missing values of perception of peer disapproval for smoking tobacco for 897 cases among OHYES! participants and 128 cases among county participants.

3. Prescription Drugs

During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

Table 80: In lifetime, number of times taken a prescription drug without a doctor's prescription

Response	OHYES!		County	
	n	%	n	%
0 times	11480	92.99	1220	92.85
1 or 2 times	455	3.69	39	2.97
3 to 9 times	196	1.59	27	2.05
10 to 19 times	66	0.53	7	0.53
20 to 39 times	33	0.27	6	0.46
40 or more times	116	0.94	15	1.14
Total	12346	100.00	1314	100.00

Note that there were missing values of number of times taken a prescription drug without a doctor's prescription in lifetime for 499 cases among OHYES! participants and 69 cases among county participants.

During the past 30 days, have you used prescription drugs not prescribed to you?

Table 81: Any past 30-day prescription drug misuse/abuse

Response	OHYES!		County	
	n	%	n	%
I have never taken a prescription drug without a doctor's prescription	11480	93.05	1220	92.85
No	692	5.61	75	5.71
Yes	165	1.34	19	1.45
Total	12337	100.00	1314	100.00

Note that there were missing values of past 30-day misuse/abuse of prescription drugs for 508 cases among OHYES! participants and 69 cases among county participants.

Among those who have taken a prescription drug without a doctor’s prescription: During the past 30 days, have you used prescription drugs not prescribed to you?

Table 82: Any past 30-day prescription drug misuse/abuse

Response	OHYES!		County	
	n	%	n	%
No	692	80.75	75	79.79
Yes	165	19.25	19	20.21
Total	857	100.00	94	100.00

Note that there were missing values of past 30-day misuse/abuse of prescription drugs for 9 cases among OHYES! participants and 0 cases among county participants.

Among those who have used a prescription drug not prescribed in the past 30 days: During the past 30 days, have you used prescription pain relievers or pain killers such as Vicodin, Percocet, OxyContin, Lortabs, or Codeine (also called Oxy, OxyContin, OS, Norco or Vikes) that were not prescribed to you?

Table 83: Any past 30 day use of prescription pain relievers or pain killers not prescribed to you

Response	OHYES!		County	
	n	%	n	%
No	87	53.37	9	47.37
Yes	76	46.63	10	52.63
Total	163	100.00	19	100.00

Note that there were missing values of past 30-day misuse/abuse of prescription pain relievers for 2 cases among OHYES! participants and 0 cases among county participants.

Among those who have used a prescription drug not prescribed in the past 30 days: What type of prescription drug do you usually take without a doctor's prescription?

Table 84: Type of prescription drug usually misused

Response	OHYES!		County	
	n	%	n	%
Narcotic pain relievers, such as OxyContin, Percocet, Vicodin, or Lortabs	26	16.15	2	10.53
Tranquilizers or anti-anxiety drugs such as Xanax, or Valium	23	14.29	1	5.26
Sleeping pills, sedatives and other depressants such as Ambien, or phenobarbital	25	15.53	4	21.05
Stimulants or amphetamines such as Ritalin (also called Vitamin R or Study Drug)	11	6.83	2	10.53
I take multiple types of prescription drugs at the same time	23	14.29	4	21.05
Not sure	37	22.98	5	26.32
Total	161	100.00	19	100.00

Note that there were missing values of prescription type for 4 cases among OHYES! participants and 0 cases among county participants.

Among those who have used a prescription drug not prescribed in the past 30 days: When do you usually use prescription drugs not prescribed to you?

Table 85: Time of day when usually misuse prescription drugs

Response	OHYES!		County	
	n	%	n	%
Before school	20	16.39	1	7.14
During school	16	13.11	3	21.43
After school	27	22.13	2	14.29
Week nights	31	25.41	4	28.57
Weekends	28	22.95	4	28.57
Total	122	100.00	14	100.00

Note that there were missing values of when prescription drugs not prescribed were used for 43 cases among OHYES! participants and 5 cases among county participants.

How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

Table 86: Perceived risk/harm for prescription drugs

Response	OHYES!		County	
	n	%	n	%
No risk	944	7.86	164	12.84
Slight risk	1064	8.86	114	8.93
Moderate risk	3057	25.46	302	23.65
Great risk	6940	57.81	697	54.58
Total	12005	100.00	1277	100.00

Note that there were missing values of perceived risk/harm for prescription drugs for 840 cases among OHYES! participants and 106 cases among county participants.

How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?

Table 87: Perception of parental disapproval for prescription drug misuse/abuse

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	356	2.97	72	5.69
A little bit wrong	318	2.65	33	2.61
Wrong	1235	10.29	144	11.38
Very wrong	10096	84.10	1016	80.32
Total	12005	100.00	1265	100.00

Note that there were missing values of perception of parental disapproval for prescription drug misuse/abuse for 840 cases among OHYES! participants and 118 cases among county participants.

How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

Table 88: Perception of peer disapproval for prescription drugs

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	704	5.91	106	8.46
A little bit wrong	968	8.12	92	7.34
Wrong	2934	24.61	305	24.34
Very wrong	7315	61.36	750	59.86
Total	11921	100.00	1253	100.00

Note that there were missing values of perception of peer disapproval for prescription drugs for 924 cases among OHYES! participants and 130 cases among county participants.

4. Over-the-Counter Medications

During your life, how many times have you taken over-the-counter medications such as cold medicine, allergy medicine, or pain reliever to get high?

Table 89: In lifetime, number of times taken over the counter medication to get high

Response	OHYES!		County	
	n	%	n	%
0 times	11379	92.63	1208	92.64
1 or 2 times	274	2.23	34	2.61
3 to 9 times	203	1.65	26	1.99
10 to 19 times	142	1.16	12	0.92
20 to 39 times	92	0.75	7	0.54
40 or more times	195	1.59	17	1.30
Total	12285	100.00	1304	100.00

Note that there were missing values of over the counter medication taken to get high for 560 cases among OHYES! participants and 79 cases among county participants.

5. Marijuana

How old were you when you tried marijuana for the first time?

Table 90: Age when first tried marijuana

Response	OHYES!		County	
	n	%	n	%
I have never tried marijuana	10553	85.37	1115	84.47
8 years old or younger	89	0.72	15	1.14
9 or 10 years old	92	0.74	20	1.52
11 or 12 years old	262	2.12	17	1.29
13 or 14 years old	618	5.00	75	5.68
15 or 16 years old	653	5.28	67	5.08
17 years old or older	95	0.77	11	0.83
Total	12362	100.00	1320	100.00

Note that there were missing values of age when marijuana was first used for 483 cases among OHYES! participants and 63 cases among county participants.

Among those who have tried marijuana: How old were you when you tried marijuana for the first time?

Table 91: Age when first tried marijuana

Response	OHYES!		County	
	n	%	n	%
8 years old or younger	89	4.92	15	7.32
9 or 10 years old	92	5.09	20	9.76
11 or 12 years old	262	14.48	17	8.29
13 or 14 years old	618	34.16	75	36.59
15 or 16 years old	653	36.10	67	32.68
17 years old or older	95	5.25	11	5.37
Total	1809	100.00	205	100.00

Note that there were missing values of age when marijuana was first used for 0 cases among OHYES! participants and 0 cases among county participants.

During the past 30 days, have you used marijuana or hashish?

Table 92: Used marijuana or hashish during the past 30 days

Response	OHYES!		County	
	n	%	n	%
I have never tried marijuana	10553	85.44	1115	84.66
No	1057	8.56	134	10.17
Yes	742	6.01	68	5.16
Total	12352	100.00	1317	100.00

Note that there were missing values of used marijuana or hashish during the past 30 days for 493 cases among OHYES! participants and 66 cases among county participants.

Among those who have tried marijuana: During the past 30 days, have you used marijuana or hashish?

Table 93: Used marijuana or hashish during the past 30 days

Response	OHYES!		County	
	n	%	n	%
No	1057	58.75	134	66.34
Yes	742	41.25	68	33.66
Total	1799	100.00	202	100.00

Note that there were missing values of used marijuana or hashish during the past 30 days for 10 cases among OHYES! participants and 3 cases among county participants.

Among those who have used marijuana in the past 30 days: During the past 30 days, how many times did you use marijuana?

Table 94: Number of times used marijuana in the past 30 days

Response	OHYES!		County	
	n	%	n	%
1 or 2 times	229	31.94	22	33.85
3 to 9 times	169	23.57	11	16.92
10 to 19 times	99	13.81	12	18.46
20 to 39 times	77	10.74	8	12.31
40 or more times	143	19.94	12	18.46
Total	717	100.00	65	100.00

Note that there were missing values of number of times used marijuana in the past 30 days for 25 cases among OHYES! participants and 3 cases among county participants.

Among those who have used marijuana in the past 30 days: During the past 30 days, how did you usually use marijuana?

Table 95: Usual method of using marijuana

Response	OHYES!		County	
	n	%	n	%
I smoked it in a joint, bong, pipe, or blunt	542	78.10	47	75.81
I ate it in food such as brownies, cakes, cookies, or candy	29	4.18	2	3.23
I drank it in tea, cola, alcohol, or other drinks	3	0.43	0	0.00
I vaporized it	106	15.27	12	19.35
I used it some other way	14	2.02	1	1.61
Total	694	100.00	62	100.00

Note that there were missing values of usual method of using marijuana for 48 cases among OHYES! participants and 6 cases among county participants.

Among those who have used marijuana in the past 30 days: When do you usually use marijuana?

Table 96: Time of day when usually use marijuana

Response	OHYES!		County	
	n	%	n	%
Before school	39	5.63	4	6.78
During school	19	2.74	3	5.08
After school	144	20.78	12	20.34
Week nights	93	13.42	6	10.17
Weekends	398	57.43	34	57.63
Total	693	100.00	59	100.00

Note that there were missing values of time of day when usually use marijuana for 49 cases among OHYES! participants and 9 cases among county participants.

How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?

Table 97: Risk of harm if smoke marijuana once or twice a week

Response	OHYES!		County	
	n	%	n	%
No risk	2735	22.76	347	27.11
Slight risk	2968	24.69	312	24.38
Moderate risk	3114	25.91	317	24.77
Great risk	3202	26.64	304	23.75
Total	12019	100.00	1280	100.00

Note that there were missing values of risk of harm if smoke marijuana once or twice a week for 826 cases among OHYES! participants and 103 cases among county participants.

How wrong do your parents feel it would be for you to smoke marijuana?

Table 98: How wrong parents would feel it is for you to smoke marijuana

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	663	5.53	97	7.67
A little bit wrong	840	7.00	105	8.30
Wrong	1493	12.45	163	12.89
Very wrong	8996	75.02	900	71.15
Total	11992	100.00	1265	100.00

Note that there were missing values of how wrong do your parents feel it would be for you to smoke marijuana for 853 cases among OHYES! participants and 118 cases among county participants.

How wrong do your friends feel it would be for you to smoke marijuana?

Table 99: How wrong friends would feel it is for you to smoke marijuana

Response	OHYES!		County	
	n	%	n	%
Not at all wrong	2178	18.28	236	18.80
A little bit wrong	1727	14.50	198	15.78
Wrong	2596	21.79	279	22.23
Very wrong	5413	45.43	542	43.19
Total	11914	100.00	1255	100.00

Note that there were missing values of how wrong do your friends feel it would be for you to smoke marijuana for 931 cases among OHYES! participants and 128 cases among county participants.

How do you feel about someone your age trying marijuana or hashish once or twice?

Table 100: How do you feel about someone your age trying marijuana or hashish once or twice

Response	OHYES!		County	
	n	%	n	%
Neither approve nor disapprove	3530	29.64	417	33.33
Somewhat disapprove	2343	19.67	249	19.90
Strongly disapprove	6036	50.68	585	46.76
Total	11909	100.00	1251	100.00

Note that there were missing values of how do you feel about someone your age trying marijuana or hashish once or twice for 936 cases among OHYES! participants and 132 cases among county participants.

How do you feel about someone your age using marijuana once a month or more?

Table 101: How do you feel about someone your age using marijuana once a month or more

Response	OHYES!		County	
	n	%	n	%
Neither approve nor disapprove	3519	29.69	409	32.93
Somewhat disapprove	2320	19.57	246	19.81
Strongly disapprove	6013	50.73	587	47.26
Total	11852	100.00	1242	100.00

Note that there were missing values of how do you feel about someone your age using marijuana once a month or more for 993 cases among OHYES! participants and 141 cases among county participants.

6. Illicit Drugs

During the past 12 months, has anyone offered, sold, or given you an illegal drug at any of the following places? Note: Respondents could select all that apply

Table 102: Illegal drugs solicitation in the past 12 months

	OHYES!		County	
	Yes	%	Yes	%
On school property	588	4.84	47	3.62
On the school bus	186	1.53	17	1.31
At a friend's house	583	4.80	57	4.39
In my neighborhood	499	4.11	53	4.08
At none of these locations	10987	90.39	1179	90.76

Note that there were missing values of illegal drugs solicitation items for 690 cases among OHYES! participants and 84 cases among county participants. Denominators for percentages are based on 12155 available cases among OHYES! participants and 1299 available cases among county participants.

F. Gambling

During the past 12 months, how often did you gamble money or personal items such as while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet?

Table 103: Frequency gambled money or personal items in the past 12 months

Response	OHYES!		County	
	n	%	n	%
I did not gamble money or personal items during the past 12 months	10003	87.16	1068	88.34
Less than once a month	841	7.33	69	5.71
About once a month	350	3.05	40	3.31
About once a week	160	1.39	17	1.41
Daily	122	1.06	15	1.24
Total	11476	100.00	1209	100.00

Note that there were missing values of frequency gambled money or personal items in the past 12 months for 1369 cases among OHYES! participants and 174 cases among county participants.

Among those who have gambled in the past 12 months: During the past 12 months, how often did you gamble money or personal items such as while playing cards, betting on personal skills or sports teams, buying lottery tickets or scratch-offs, or using the Internet?

Table 104: Frequency gambled money or personal items in the past 12 months

Response	OHYES!		County	
	n	%	n	%
Less than once a month	841	57.09	69	48.94
About once a month	350	23.76	40	28.37
About once a week	160	10.86	17	12.06
Daily	122	8.28	15	10.64
Total	1473	100.00	141	100.00

Note that there were missing values of frequency gambled money or personal items in the past 12 months for 0 cases among OHYES! participants and 0 cases among county participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever gambled more than you planned to?

Table 105: Gambled more than planned in the last 12 months

Response	OHYES!		County	
	n	%	n	%
No	1116	76.02	105	74.47
Yes	352	23.98	36	25.53
Total	1468	100.00	141	100.00

Note that there were missing values of gambled more than planned in the last 12 months for 5 cases among OHYES! participants and 0 cases among county participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever felt bad about the amount you bet, or about what happens when you bet money?

Table 106: Felt bad about the amount bet or about what happens when betting in the last 12 months

Response	OHYES!		County	
	n	%	n	%
No	1154	78.99	116	82.86
Yes	307	21.01	24	17.14
Total	1461	100.00	140	100.00

Note that there were missing values of felt bad about the amount bet or about what happens when betting in the last 12 months for 12 cases among OHYES! participants and 1 cases among county participants.

Among those who have gambled in the past 12 months: During the last 12 months, have you ever hidden from family or friends any betting slips, I.O.U.s, lottery tickets, money that you have won, or other signs of gambling?

Table 107: Hidden from family or friends signs of gambling in the last 12 months

Response	OHYES!		County	
	n	%	n	%
No	1314	89.88	115	83.33
Yes	148	10.12	23	16.67
Total	1462	100.00	138	100.00

Note that there were missing values of hidden from family or friends signs of gambling in the last 12 months for 11 cases among OHYES! participants and 3 cases among county participants.

Among those who have gambled in the past 12 months: Have you ever lied to people important to you about how much you gamble?

Table 108: Lied to important people about gambling

Response	OHYES!		County	
	n	%	n	%
No	836	90.38	83	93.26
Yes	89	9.62	6	6.74
Total	925	100.00	89	100.00

Note that there were missing values of lied to important people about gambling for 548 cases among OHYES! participants and 52 cases among county participants.

G. Sexual Health

1. Sexual Behavior

Have you ever had sexual intercourse?

Table 109: Ever had sexual intercourse

Response	OHYES!		County	
	n	%	n	%
No	2581	76.38	108	71.52
Yes	798	23.62	43	28.48
Total	3379	100.00	151	100.00

Note that there were missing values of ever had sexual intercourse for 9466 cases among OHYES! participants and 1232 cases among county participants. This item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?

Table 110: Method of pregnancy prevention during last sexual intercourse

Response	OHYES!		County	
	n	%	n	%
No method was used to prevent pregnancy	72	9.36	3	7.50
Birth control pills	149	19.38	8	20.00
Condoms	399	51.89	15	37.50
An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	40	5.20	3	7.50
A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	30	3.90	2	5.00
Withdrawal or some other method	40	5.20	4	10.00
Not sure	39	5.07	5	12.50
Total	769	100.00	40	100.00

Note that there were missing values of pregnancy prevention during last sexual intercourse for 29 cases among OHYES! participants and 3 cases among county participants. This item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: The last time you had sexual intercourse, did you or your partner use a condom?

Table 111: Used a condom during last sexual intercourse

Response	OHYES!		County	
	n	%	n	%
No	293	37.52	25	59.52
Yes	488	62.48	17	40.48
Total	781	100.00	42	100.00

Note that there were missing values of used a condom during last sexual intercourse for 17 cases among OHYES! participants and 1 cases among county participants. This item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: During the past 3 months, with how many people did you have sexual intercourse?

Table 112: Number of sexual intercourse partners in the last 3 months

Response	OHYES!		County	
	n	%	n	%
I have had sexual intercourse, but not during the past 3 months	155	20.31	9	23.68
1 person	480	62.91	17	44.74
2 people	64	8.39	3	7.89
3 people	22	2.88	2	5.26
4 people	12	1.57	1	2.63
5 people	5	0.66	2	5.26
6 or more people	25	3.28	4	10.53
Total	763	100.00	38	100.00

Note that there were missing values number of sexual intercourse partners in the last 3 months for 35 cases among OHYES! participants and 5 cases among county participants. This item only appears on the optional version of the survey instrument.

Among those who reported ever having sexual intercourse: Did you drink alcohol or use drugs before you had sexual intercourse the last time?

Table 113: Drank alcohol or use drugs before last sexual intercourse

Response	OHYES!		County	
	n	%	n	%
No	651	85.88	26	74.29
Yes	107	14.12	9	25.71
Total	758	100.00	35	100.00

Note that there were missing values number of drank alcohol or use drugs before last sexual intercourse for 40 cases among OHYES! participants and 8 cases among county participants. This item only appears on the optional version of the survey instrument.